




Alphacool Repack - Quad Laing DDC - Dual 5.25 Bay Station

Special Price
\$43.95 was
\$76.95

Product Images



Short Description

Pump top and Conditions offers a variety of advantages: Easy to install, compact, and very visually appealing! All of this new Alphacool Repack combines the highest level. But Alphacool Alphacool would not, if this new product brings with it some new features not that it was not so before the market!

Description

Alpha Cools high-class solution for Laing DDC-1T and DDC-1T Plus pumps can integrate into the circulation.

Pump top and Conditions offers a variety of advantages: Easy to install, compact, and very visually appealing! All of this new Alphacool Repack combines the highest level. But Alphacool Alphacool would not, if this new product brings with it some new features not that it was not so before the market!

The Alphacool Repack - Quad Laing DDC - Dual 5.25 Bay Station is designed for mounting in front of a case. It will be needed as two 5.25 inch drive bays. The installation of the pump (s) can be made single, double, triple or quadruple. On the back 2Dual pump terminal are available, so that there are different options:

1x pump terminal (second terminal closed with adapter)

Single: A pump (the second pump port is closed)

Dual: Two pumps which are connected in series one behind the other

Features

2x pump terminal

- Dual: Two pumps, one at each terminal so that the pumps are operated in parallel
- Triple: Three pumps, two in row and a single
- Quad in series: Four pumps, two pieces in a line should be connected via an additional connection / hose between the OUT and IN.
- Quad parallel: Four pumps, two units in series can be operated in parallel, eg if you have 2 circuits to be operated from a container.

Technological innovations in Alphacool Repack:

Up to now hear the key features according to standard, but the developers have made here a few ideas to solve commonly encountered problems:

Anti Cyclon:

Unlike known solutions, where the cooling fluid is passed around many corners and edges, and in the end, micro-bubbles in the system still is here applied a new technique: Before the two pump inlets marked by "to" & "out", there is a type filter, which eliminates the problem of mini air bubbles in the expansion tank from the ground up.

Filling:

In all known slot-in Policies was filling an act: unscrewing pull out, fill, screw it. And when filling would you like to have a third or fourth hand, an action that was always hovering. Stop it! At the front is now a Befüllstab. This we unscrewed a few turns, drawn out, and he may be hollow inside, this bar conveniently over the container to be filled. For this purpose are spray bottles and a funnel in from our range.

The eye-catcher:

The front, so that what remains after the installation is visible mainly to look at itself very nicely. Plexi, acetal, level indicator and in combination with the alpha Befüllstab typical cool look Copper looks a class. The next step is the contents of the container in the right light on. From left and right LEDs can be inserted. It does not matter if 3 or 5mm. The absolute highlight of the top can be inserted a 10 cm cathode! Increased luminosity does not get you! In combination with the LEDs of different colors also could set the scene in front. Inventive users will develop with the house HeatMaster safe here and discover even more ideas.

In all these respects, more power, more eye-catching and extremely comfortable to use, one might almost say: Why only high-class, first class is not already?

Specifications

Specifications:

- Material: acrylic / acetal, brass
- Color: transparent / black / copper
- Connection thread: 4x 1/4Zoll
- Dimensions (L x W x H): 190 x 148 x 84mm
- Holder for 10cm cathode
- Opening for 2 x 3 or 5mm LED
- ROHS compliant

Delivery:

- 1x Alphacool Repack - Quad Laing DDC - Dual 5.25 Bay Station
- 4x mounting screws
- Allen key
- Caps in order to use the single version are included.

Note: The copper-colored logo is sealed with a backing sheet. Thus, the copper shines beautifully, it must be unplugged easily.

Note: We have found that with the cathode manufacturing tolerances of up to 0.3 mm, even with cathodes made of the same packaging that is. Thus it could be that cathodes do not fit right away, because the opening is intended for clamping the cathode, so that one spoils do not stick through the optics. These zero-point millimeter you get with sandpaper and corrected a few strokes over the edge easily.

Additional Information

Brand	Alphacool
SKU	AC-15040-D
Weight	2.5000
Color	Black
Reservoir Type	Dual-Bay Res
Pump Type	DDC
Vendor SKU/EAN	4250197150408
Special Price	\$43.95

