



# Prolimatech PK-2 Thermal Compound - 1.5 Grams

\$4.99

## Product Images



## Short Description

---

When putting down, nothing beats smooth and easy. That is why we created the PK-2 thermal compound. The PK-2 thermal compound is a high performance thermal bonding agent specially designed for easy application. PK-2's core feature is its low viscosity, allowing for one to quickly and easily apply the thinnest coat of thermal compound possible. This will get your components up close and personal in no time.

## Description

---

When putting down, nothing beats smooth and easy. That is why we created the PK-2 thermal compound. The PK-2 thermal compound is a high performance thermal bonding agent specially designed for easy application. PK-2's core feature is its low viscosity, allowing for one to quickly and easily apply the thinnest coat of thermal compound possible. This will get your components up close and personal in no time.

**\*Note: This Item can not be shipped using DHL\***

## Features

---

Features:

- Easy Application
- Easy Application
- Low Dry-Out
- Non-Corrosive
- Electrically Non-Conductive
- Wide range of application temperature

## Specifications

---

Specifications:

|                  |                      |
|------------------|----------------------|
| Al               | 70~88 (wt%)          |
| ZnO              | 15~27 (wt%)          |
| Oil              | 11~19 (wt%)          |
| Antioxidant      | 0.5~2 (wt%)          |
| Specific Gravity | 2.5g/cm <sup>3</sup> |
| Adhesiveness     | 250000Cps            |

Thermal Conductivity 10.2 W/m-°C

Thermal Impedance 0.015 °C-in<sup>2</sup>/W

Included One syringe of thermal compound and one easy-spread card(1.5g)  
One Syringe of thermal compound amd one easy-to-spread spoon(5g, 30g)

## Additional Information

---

|                |               |
|----------------|---------------|
| Brand          | Prolimatech   |
| SKU            | PT-PK-2-15G   |
| Weight         | 0.2000        |
| TIM Type       | Paste         |
| Vendor SKU/EAN | 4711552410006 |

