



# Aquacomputer Pump Adaptor for D5 Pumps, Compatible with Aqualis - G1/4

\$39.75

## Product Images



## Short Description

The Aqua Computer pump adapter for D5 pumps is manufactured from durable Delrin. The adapter can either be used as a stand-alone pump adapter or in combination with a compatible aqualis series reservoir.

## Description

The Aqua Computer pump adapter for D5 pumps is manufactured from durable Delrin. The adapter can either be used as a stand-

alone pump adapter or in combination with a compatible aqualis series reservoir. A mounting bracket made from stainless steel is included in delivery, an optional decoupling set can also be used (not included in delivery). For mounting a D5 series pump, an anodized aluminum clamp ring and a suitable o-ring gasket are provided.

When used **with an aqualis series reservoir** (art. no. 45324 or 45325), pump adapter and reservoir form a virtually seamless unit. The sockets at the base of the reservoir slide into form-fitting receptacles of the pump adapter and the gaskets on the sockets establish a watertight seal. When used with a reservoir, the threads on the side of the pump adapter must be used to connect the water loop. Additionally, a fill level sensor of the mps series is integrated into the pump adapter. The fill level sensor features an integrated microcontroller with USB and aquabus interface, a programmable alarm output and an external temperature sensor input. For monitoring and configuration, the aquasuite software can be downloaded free of charge. In addition to the USB interface, the 4-pin aquabus interface can be used to directly connect the flow sensor to an aquaero 5 controller (not included in delivery). The alarm output can be configured to be used as a rpm signal to be connected to a fan connector with fault detection (for example motherboard fan headers) or to be used as a switched output for example to connect a LED. Fill level and external temperature sensor input can be configured to raise an alarm. The external temperature sensor input is compatible with all Aqua Computer temperature sensors. A pressure equalisation membrane is included in delivery of the pump adapter and is to be installed into the top port of the reservoir.

## Specifications

---

### Scope of delivery:

- Pump adapter
- Clamp ring
- O-ring gasket
- Stainless steel bracket
- Mounting material
- Two G1/4 sealing screws

### Compatible with:

- Aqua Computer D5 pump motor with speed signal (art. no. 49118)
- Aqua Computer D5 pump motor with USB and aquabus interface (art. no. 41120)
- Laing D5 series pumps and OEM versions identical in construction
- aqualis base for pump adapters (art. no. 45325)
- aqualis base for pump adapters with nano coating (art. no. 45324)

### Please note:

Pump, fittings and reservoir are not included in delivery!

## Additional Information

---

Brand	Aquacomputer
SKU	AQ-41094
Weight	1.5000
Color	Black
Pump Type	Laing D5
Material	Delrin (POM)
Vendor SKU/EAN	4260073415392

