



Evercool 40 X 20mm Dual-Ball PWM Fan 3000-9000RPM 8.99CFM

Special Price
\$7.46 was
\$9.95

Product Images



Short Description

Product Details:

Brushless DC Fans feature higher speeds, longer life and less maintenance. Available in a variety of sizes to replace or upgrade DC fans in smaller electronic devices like your HDD rack, or PC notebook.

Features:

- Material:impeller&Frame:Plastic(UL 94V-0)
- Lead Wires:

- UL 1007 AWG #28 Or Equivalent
- Red Wire Positive(+),Black Wire Negative(-),Yellow Wire Or Blue Wire Signal(FG)
- Function type is optional.
- The max air flow and the speed are measured in free air;max air pressure is measured at zero air flow.
- Noise is measured in anechoic chamber in free air,one meter from intake side.
- All readings are typical values at rated voltage.
- Specifications are subject to change without notice.
- Additional special function may be added according the requirement of customer.

Model Type: EC-4020SH12BP / Dimension : 40x40x20mm

✘	Voltage	5V			12V		24V		
		V			V				
	Fan Speed	SL	LL	L	M	H	HH	TH	SH
		3500	4000	4500	5000	5500	6000	7000	9000
	Certificate	UL			CE		TUV		
	V			V		V			
Bearing Type	Sleeve			1Ball	2Ball	EL			
	V			V	V	V			

P&Q Curve / Dimensions Drawing:



Model Number System:



Specifications:

Model	Voltage VDC	Current AMP	Input WATTS	Fan Speed RPM	AirFlow CFM	Pressure Inch-H2O	Noise dBA
EC4020TH05X	5	0.2	1	7000	6.99	0.24	<27
EC4020HH05X	5	0.16	0.8	6000	4.82	0.13	<25
EC4020H05X	5	0.14	0.7	5500	4.65	0.11	<23
EC4020M05X	5	0.12	0.6	5000	4.17	0.09	<21
EC4020L05X	5	0.1	0.5	4500	4.05	0.08	<20
EC4020LL05X	5	0.08	0.4	4000	3.98	0.07	<19
EC4020SL05X	5	0.07	0.35	3500	3.45	0.06	<18

EC4020SH12X	12	0.14	1.68	9000	8.99	0.4	<32
EC4020HH12X	12	0.11	1.32	6000	4.82	0.13	<25
EC4020H12X	12	0.1	1.2	5500	4.65	0.11	<23
EC4020M12X	12	0.08	0.96	5000	4.17	0.09	<21
EC4020L12X	12	0.06	0.72	4500	4.05	0.08	<20
EC4020LL12X	12	0.05	0.6	4000	3.98	0.07	<19

Description

Brushless DC Fans feature higher speeds, longer life and less maintenance. Available in a variety of sizes to replace or upgrade DC fans in smaller electronic devices like your HDD rack, or PC notebook.

Features

- Material:impeller&Frame:Plastic(UL 94V-0)
- Lead Wires:
- UL 1007 AWG #28 Or Equivalent
- Red Wire Positive(+),Black Wire Negative(-),Yellow Wire Or Blue Wire Signal(FG)
- Function type is optional.
- The max air flow and the speed are measured in free air;max air pressure is measured at zero air flow.
- Noise is measured in anechoic chamber in free air,one meter from intake side.
- All readings are typical values at rated voltage.
- Specifications are subject to change without notice.
- Additional special function may be added according the requirement of customer.

Specifications

Model Type: EC-4020SH12BP / Dimension : 40x40x20mm

✘	Voltage	5V			12V		24V		
		V			V				
	Fan Speed	SL	LL	L	M	H	HH	TH	SH
		3500	4000	4500	5000	5500	6000	7000	9000
✘	Certificate	UL			CE		TUV		
		V			V		V		
✘	Bearing Type	Sleeve			1Ball	2Ball	EL		
		V			V	V	V		

P&Q Curve / Dimensions Drawing:



Model Number System:



Specifications:

Model	Voltage VDC	Current AMP	Input WATTS	Fan Speed RPM	AirFlow CFM	Pressure Inch-H2O	Noise dBA
EC4020TH05X	5	0.2	1	7000	6.99	0.24	<27
EC4020HH05X	5	0.16	0.8	6000	4.82	0.13	<25
EC4020H05X	5	0.14	0.7	5500	4.65	0.11	<23
EC4020M05X	5	0.12	0.6	5000	4.17	0.09	<21
EC4020L05X	5	0.1	0.5	4500	4.05	0.08	<20
EC4020LL05X	5	0.08	0.4	4000	3.98	0.07	<19
EC4020SL05X	5	0.07	0.35	3500	3.45	0.06	<18
EC4020SH12X	12	0.14	1.68	9000	8.99	0.4	<32
EC4020HH12X	12	0.11	1.32	6000	4.82	0.13	<25
EC4020H12X	12	0.1	1.2	5500	4.65	0.11	<23
EC4020M12X	12	0.08	0.96	5000	4.17	0.09	<21
EC4020L12X	12	0.06	0.72	4500	4.05	0.08	<20

EC4020LL12X	12	0.05	0.6	4000	3.98	0.07	<19
-------------	----	------	-----	------	------	------	-----

Additional Information

Brand	Evercool
SKU	EC4020SH12BP
Weight	0.2000
Color	Black
Fan Dimensions	40mm
Fan Width	20mm
Fan Connection	4-Pin PWM
Fan Voltage	12 VDC
Fan RPM	9000
Fan CFM	9
Fan Noise (dB)	32
Vendor SKU/EAN	4711158197424
Special Price	\$7.46

