Performance-PCs.com

1701 R. J. Conlan Blvd.
NE, Unit #5
Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com
sales@performance-pcs.com

Like Us Facebook

See Our Instagram

Follow Us Twitter

Watch Our YouTube

# Silverstone Nitrogen Series NT06-PRO SFF CPU Heatsink

$72.99

## Product Images

## Short Description

The NT06-PRO is a completely redesigned cooler based on the NT06-E. It has optimized heatsink fins soldered onto six 6mm thick copper heat pipes to provide more contact to produce higher efficiency rate of heat dissipation. A new, compact 120mm PWM fan with excellent balance of airflow and noise is included to provide forced-air heat dissipation with the ability to cool components around the CPU area. For users requiring high performance cooling with specific space requirements, the NT06-PRO is the best choice.

## Description

The NT06-PRO is a completely redesigned cooler based on the NT06-E. It has optimized heatsink fins soldered onto six 6mm thick copper heat pipes to provide more contact to produce higher efficiency rate of heat dissipation. A new, compact 120mm PWM fan with excellent balance of airflow and noise is included to provide forced-air heat dissipation with the ability to cool components around the CPU area. For users requiring high performance cooling with specific space requirements, the NT06-PRO is the best choice.

# Features

- Superior silence and performance
- Six soldered heat-pipes, copper base and aluminum fins ensuring the best thermal conducting efficiency
- Improved air pressure design and fan mounting system
- Includes compact 120mm PWM fan for excellent cooling and low noise
- Intel Socket LGA775/1155/1156/1366/2011 and AMD Socket AM2/AM3/FM1/FM2 compatible



# Specifications

| Model No. | SST-NT06-PRO |
|---|---|
| Material | Copper base, heat pipes with aluminum fins |
| Application | Intel Socket LGA775/1155/1156/1366/2011<br>AMD Socket AM2/AM3/FM1/FM2 |
| Heat Pipe Type | Ø6mm-6pcs heat-pipe |
| Cooling System | 120mm x 120mm x 20mm fan |
| Bearing | Sleeve Bearing |
| CPU TDP | Fanless :65W<br>1 x 12015mm Fan:95W<br>1 x 12025mm Fan:130W<br>12015 + 12025 mm Fan:150W |
| Net Weight | 700g (with fan) |
| Voltage Rating (V) | 12V |
| Start Voltage (V) | ≤9V |
| Air Flow (CFM) | 33.623~73.969CFM |
| Speed (R.P.M.) | 1000~2200RPM with PWM |
| Life Expectance (hrs) | 30,000 hours |
| Dimension | 140mm (W) x 82mm (H) x 139mm (D) |

# Additional Information

| | |
|---|---|
| Brand | SilverStone Technology |
| SKU | NT06-PRO |
| Weight | 2.0000 |
| Color | Silver |
| Material | Copper/Aluminum |
| Fan Dimensions | 120mm |
| Fan Connection | 4-Pin PWM |
| Vendor SKU/EAN | 844761009489 |