


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222



Like Us Facebook





www.performance-pcs.com sales@performance-pcs.com

A Phobya Temperature Sensor G1/4



Product Images



Short Description

High-precision thermal sensor G1 / 4 inch thread . May be directly threaded in a reservoir such as a Coolplex , Aluminum tube or Bullseye are screwed and sealed with a durable O-ring from . The shaft is knurled , which facilitates the screwing by hand, in the region of the sensor head, the residual wall thickness is reduced to < 1 mm , which allows quick and accurate measurements

Description

High-precision thermal sensor G1 / 4 inch thread . May be directly threaded in a reservoir such as a Coolplex , Aluminum tube or Bullseye are screwed and sealed with a durable O-ring from . The shaft is knurled , which facilitates the screwing by hand, in the region of the sensor head, the residual wall thickness is reduced to < 1 mm, which allows quick and accurate measurements . It is

Features

Compatibility:

- It is a 10k temperature sensor, which is compatible with the following devices among other things :
- All models Aquaero
- aquastream Ultra
- aquaduct variants with external sensor input (360 XT , 720 XT)
- Alphacool Heatmaster
- Innovatek Fan-O -Matic
- Lian Li Multi Panel
- Scythe Kaze
- T-Balancer
- Sensor inputs of many motherboards

Specifications

- Material: brass nickel
- Accuracy: 0.3 C (precision measurement possible)
- Cable: 2 -pin plug with 50cm cable
- resistance 10KOhm
- Top diameter : 18mm
- Top length : 8mm
- Overall Length: 30mm
- Thread length : 10mm
- Lower sensors Length: 12mm
- Sensor diameter : 6mm bottom , 2nd stage 7mm

Scope of delivery:

1x Phobya thermal sensor G1 / 4 - chrome

Additional Information

Brand	Phobya
SKU	PH-71006
Weight	0.2000
Special Order	No
Fitting Type	Temp Sensor

