



NTE Multi-Function Mini Heat Gun with 2 Speed and Temperature Settings (with bonus heat shrink kit)

\$32.95

Product Images



Short Description

This fast and easy to use heat gun is comfortable to hold and is light weight. It features two speed/temperature settings for quiet operation. Low temperature setting is at 250°C (482°F) and the high setting is 350°C (662°F). There is a safety shield on the nozzle, and it has a built-in bracket for self-support and table top use. This heat gun is ideal for heat shrink tubing, embossing, or for drying a variety of paints, glues, and inks. If you are creating or repairing computer wires or cables, this is the perfect tool for you!

Description

This fast and easy to use heat gun is comfortable to hold and is light weight. It features two speed/temperature settings for quiet operation. Low temperature setting is at 250°C (482°F) and the high setting is 350°C (662°F). There is a safety shield on the nozzle, and it has a built-in bracket for self-support and table top use. This heat gun is ideal for heat shrink tubing, embossing, or for drying a variety of paints, glues, and inks. If you are creating or repairing computer wires or cables, this is the perfect tool for you!

Features

- Made from high quality materials, the heat gun is simple in design but extremely durable.
- With the low temperature setting of 250°C and a high temperature setting of 350°C this mini heat gun can handle nearly every DIY project thrown at it. Built in heat vents help decrease the internal temperature of the hot gun and help extend its life.
- Built in kickstand helps protect your tables and furniture from the gun when not in use.
- Specs: 120VAC, 350 Watt, 2 Speed
- Great for DIY! This is the perfect tool for custom computer cables and repair, DIY Arts & Crafts, Shrink Wrapping, Cell Phone Repair, Heat Shrink Tubing, PVC, Embossing, Drying Paint, Clay, and Rubber Stamp. The bonus heat shrink kit provides materials you need to repair a cord or start your next project.

Specifications

- 350 Watt
- 482°F (250°C) Low and 662°F (350°C) High
- Safety shield on nozzle
- Built-in bracket for self-support and table top use
- cULus approved

Additional Information

SKU	HG-300D
Weight	2.0000
Color	Blue
Tool Type	Technicians Tools

