




# Coolgate Double 120mm High Density 20 FPI Heat Exchanger Radiator

\$67.95

## Product Images



## Short Description

### Product Details:

The Coolgate Dual 120mm Heat Exchanger is a combination of all the best rad designs making it versatile and a performance beast. The High Density versions have more fins per inch to increase your cooling potential! These radiators sport a staggering 20 FPI, allowing amazing results from a considerably thin radiator. Featuring inner tubes made of 90% copper this series is made for high end performance.

- **HD FIN CONFIGURATION**  
High Density FPI (fins per inch) is designed for highest performance.
- **GREEN ENERGY**  
Protect environment by using RoHS compliant components, recycled materials and lead-free production.
- **EASE OF USE**  
4 G1/4" threads and UNC 6-32 screw threads allow multiple and flexible installations and configurations.
- **HIGH FLOW OPTIMIZED**  
Minimal water resistance and achieve optimal cooling performance.
- **THREE YEARS WARRANTY**  
Based on long-standing professional research, development and production we provide full 3 years warranty on Coolgate heat exchangers.

Specifications:

- Material: Copper fins, brass chambers
- Color: 2 μ black paint; copper plating optional
- Fins spacing: 20 FPI (Fins Per Inch)
- Dimension: 280 mm x 129 mm x 35 mm
- Tube: Single rows, 19 mm x 2 mm
- Connection thread: 3x G1/4" threads
- Weight: 680 g
- Liquid Volume: 105 ml
- Pressure tested: 1.5 bar
- Mounting: 8x N6-32 UNC on both sides for 120 mm fan installation

## Description

---

The Coolgate Dual 120mm Heat Exchanger is a combination of all the best rad designs making it versatile and a performance beast. The High Density versions have more fins per inch to increase your cooling potential! These radiators sport a staggering 20 FPI, allowing amazing results from a considerably thin radiator. Featuring inner tubes made of 90% copper this series is made for high end performance.

## Features

---

- **HD FIN CONFIGURATION**  
High Density FPI (fins per inch) is designed for highest performance.
- **GREEN ENERGY**  
Protect environment by using RoHS compliant components, recycled materials and lead-free production.
- **EASE OF USE**  
4 G1/4" threads and UNC 6-32 screw threads allow multiple and flexible installations and configurations.
- **HIGH FLOW OPTIMIZED**

Minimal water resistance and achieve optimal cooling performance.

- **THREE YEARS WARRANTY**

Based on long-standing professional research, development and production we provide full 3 years warranty on Coolgate heat exchangers.

## Specifications

---

- Material: Copper fins, brass chambers
- Color: 2  $\mu$  black paint; copper plating optional
- Fins spacing: 20 FPI (Fins Per Inch)
- Dimension: 280 mm x 129 mm x 35 mm
- Tube: Single rows, 19 mm x 2 mm
- Connection thread: 3x G1/4" threads
- Weight: 680 g
- Liquid Volume: 105 ml
- Pressure tested: 1.5 bar
- Mounting: 8x N6-32 UNC on both sides for 120 mm fan installation

## Additional Information

---

Brand	Coolgate
SKU	CG-240HD-D
Weight	1.5000
Color	Black
Radiator Size	240 (2 x 120mm)
Radiator Thickness	35mm

