



Akasa AK-CC4010HP01 Venom Medusa Universal CPU Cooler


Special Price
\$50.00 was
\$84.95

Product Images





©akasa



©akasa



©akasa



©akasa

Short Description

Akasa AK-CC4010HP01 Venom Medusa Universal CPU Cooler

Description

Akasa AK-CC4010HP01 Venom Medusa Universal CPU Cooler

Features

- Eight high capacity heatpipes for rapid heat transfer
- Dual Viper fans
- Award winning S-FLOW fans provides 30% more airflow
- Intelligent synced fan speed
- Optimised V shaped notches reduces airflow resistance and noise
- Dual Viper fans for extreme cooling performance
- Twin tower heatsink provides more heat dissipation area
- Eight high capacity heatpipes for rapid heat transfer
- 14cm Viper-R fan provides massive airflow for CPU and motherboard components
- Nickel coated copper base

Specifications

Socket type	Intel LGA775, LGA1155, LGA1156, LGA1366 & LGA2011 AMD Socket AM2, AM2+, AM3, AM3+ & FM1
Heatsink material	8 heatpipes, copper base, aluminium fins
Cooler weight	1300g
Heatsink dimensions	163 x 144 x 129.5mm (H x W x D)
[12cm Fan]	
Fan dimensions	120 x 120 x 25mm
Fan speed	600-1900 RPM
Fan speed with reduction cable	500-1400 RPM
Max airflow	83.63 CFM

Max airflow with reduction cable	61.62 CFM
Max air pressure	2.98 mmH2O
Max air pressure with reduction cable	1.62 mmH2O
Noise level	6.9-28.9 dB(A)
Noise level with reduction cable	6.9-22.3 dB(A)
[14cm Fan]	
Fan dimensions	145 x 145 x 25mm
Fan speed	600-1600 RPM
Fan speed with reduction cable	500-1000 RPM
Max airflow	109.55 CFM
Max airflow with reduction cable	68.47 CFM
Max air pressure	2.91 mmH2O
Max air pressure with reduction cable	1.14 mmH2O
Noise level	7-21.7 dB(A)
Noise level with reduction cable	7-11.5 dB(A)
Voltage rating	12V DC
Bearing type	HDB (Hydro Dynamic)
Fan connector	4pin PWM
Product code	AK-CC4010HP01

Additional Information

Brand	Akasa
SKU	AK-CC4010HP01
Weight	4.2500
Color	Yellow
Material	Copper/Aluminum
Fan Dimensions	120mm
Fan Connection	4-Pin PWM
Special Price	\$50.00

