



Aquacomputer Aquaero 6 PRO USB Fan-Controller, Grafik-LCD

\$155.25

Product Images



Short Description

The aquaero is an absolutely autonomous working microprocessor-controlled device with USB 2.0 interface. All speed parameters and sensor values can be set and visualized in an user-friendly menu or through an even easier to use PC-software. Additionally, the graphic LC display can be used to display almost any information using the popular LCD software LCDHype.

Description

The aquaero is an absolutely autonomous working microprocessor-controlled device with USB 2.0 interface.

All speed parameters and sensor values can be set and visualized in an user-friendly menu or through an even easier to use PC-software. Additionally, the graphic LC display can be used to display almost any information using the popular LCD software LCDHype.

Several aqua computer products can be used to expand the functionality of the aquaero 6 controller. These expansions are dynamically mapped into the menus and display pages of the aquaero, creating a consistent control system rather than individual devices.

In maximum configuration, the following devices can be connected to an aquaero 6 simultaneously:

- Two aquastream XT pumps
- Eight poweradjust 2/3 controllers
- Four mps-based devices (flow sensor, pressure/fill level sensor and D5 pump with aquabus)
- One tubemeter
- Two multiswitches

Features

- Programmable four channel fan controller
- Graphic LC display with backlight
- USB 2.0 and aquabus interface
- Four fan outputs with up to 30 Watt of power per channel
- All fan outputs with 4-Pin plug, switchable between voltage and PWM control
- Versatile control options
- Eight temperature sensor inputs
- Flow sensor input
- Universal IR receiver
- Output for IR transmitter
- Three LED outputs
- Potential-free switch
- Two additional power outputs
- Extensive alarm options
- Acoustical alarm
- Speed signal output for status evaluation
- Expandable to a maximum of 12 fan channels

For a more thorough feature description, we recommend to download the manual: [aquaero_5_6_en_2014_04_14.pdf](#)

Specifications

Scope of delivery:

- Aquaero 6 PRO controller
- Four temperature sensors, length approx. 70 cm
- One internal USB cable, length approx. 100 cm
- One connection cable for speed signal or aquabus
- Manual
- Mounting material for installation into a free extension bay

Additional Information

Brand	Aquacomputer
SKU	AQ-53145
Weight	2.0000
Color	Silver
Msc Watercool	Controller
Vendor SKU/EAN	4260073417341

