



Silverstone RS431U Four Bay 1U Rackmount with USB 3.0 and eSATA Interface

\$456.99

Product Images







Short Description

SilverStone created an incredible four bay 1U rackmount storage product in the RS431U. It connects to the PC via 5Gbps SuperSpeed USB 3.0 interface or 3Gbps eSATA interface which enables data transfer with maximum compatibility and stability. A full range of RAID modes (RAID 0, 1, 3, 5, 10, Combine, Clear RAID) is supported to provide the best security and performance for your hard drives.

Description

SilverStone created an incredible four bay 1U rackmount storage product in the RS431U. It connects to the PC via 5Gbps SuperSpeed USB 3.0 interface or 3Gbps eSATA interface which enables data transfer with maximum compatibility and stability. A full range of RAID modes (RAID 0, 1, 3, 5, 10, Combine, Clear RAID) is supported to provide the best security and performance for your hard drives. The RS431U offers a convenient and economical way to store data and is suitable for all users that require frequent backup and data manipulation.

Features

- Supports four 3.5" SATA HDD
- Built-in power supply and three 40mm fans
- Compact and screw-less design for easy HDD installation
- Plug and Play

- Supports USB 3.0 maximum 5Gbps transfer speed
- Supports eSATA maximum 3Gbps transfer speed
- Configurable RAID function (RAID 0, 1, 3, 5, 10, Combine, Clear RAID)

Specifications

Model No.

	SST-RS431U
Enclosure material	Aluminum + SECC
Color	Black
Cooling system	40mm fan x 3
HDD Drive Support	SATA III/SATA II/SATA I
Certifications	CE、FCC、RoHS compliance
Power Supply	Internal universal power supply switch (115V/230V) Input: AC 100-130V/200-260V, 50Hz/60Hz Output: DC +5V/6A +12V/11A
Drive support	3.5" HDD/SSD
Minimum System Requirements	Windows XP, Vista, 7 Mac OS 10.x Linux Kernel 2.6.31 or above Computer with SuperSpeed USB 3.0 or USB 2.0 interface
Enclosure interface	USB 3.0 (Max. 5Gbps) compatible with USB 2.0, eSATA(Max. 3Gbps)*
LED indicator	HDD status LED Blue for HDD detected or rebuild complete Red flash for HDD access or rebuild mode
RAID mode support	RAID 0 , 1 , 3 , 5 , 10 , combine , clear RAID
Net Weight	4615g
Dimension	440mm (D) x 302mm (W) x 53.5mm (H)
Environment	Operating Temperature: 5°C ~ 35°C Operating Humidity: 20%RH ~ 80%RH Storage Temperature: -20°C ~ 50°C Storage Humidity: 20%RH ~ 80%RH

Accessories RS431U (hard drives not included)
USB 3.0 cable x 1
e-SATA cable x 1
Accessory pack x 1
Power cord x 1
User manual x 1

Additional Information

Brand	SilverStone Technology
SKU	SST-RS431U
Weight	1.5000
Color	Black
Device Type	SSD/HDD Enclosure
Bay Size	3.5" Bay
Vendor SKU/EAN	844761009557

