


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222





\$193.99



www.performance-pcs.com sales@performance-pcs.com

Silverstone RS431U Four Bay 1U Rackmount Tower with USB 3.0 and eSATA Interface

Product Images





Short Description

The TS431U is a 4-bay storage tower with SuperSpeed USB 3.0 and eSATA interfaces which has over 200MB/s in performance. The rear USB 3.0 port is backwards compatible with USB 2.0 ports, make it more flexible for accessing data.

Description

The TS431U is a 4-bay storage tower with SuperSpeed USB 3.0 and eSATA interfaces which has over 200MB/s in performance. The rear USB 3.0 port is backwards compatible with USB 2.0 ports, make it more flexible for accessing data. Four hot-swappable hard drives slots are behind the aluminum front cover to allow easy trouble shooting and hard drive replacement. The newly trayless design and hard drive pop-up mechanism make it easy to installation. With high performance transfer rate to support the storage of big files like movies and other multmedia, TS431U is the ideal storage tower for different utilization.

Features

- Supports four 3.5" SATA HDD
- Built-in power supply and dual 60mm fans
- Compact and screw-less design for easy HDD installation
- Plug and Play

- Supports USB 3.0 maximum 5Gbps transfer speed
- Supports eSATA maximum 3Gbps transfer speed

Specifications

Model No.

	SST-TS431U
Enclosure material	Aluminum + SECC
Color	Black
Cooling system	60mm fan x 2
HDD Drive Support	SATA III/SATA II/SATA I
Certifications	CE、FCC、RoHS compliance
Power Supply	Internal universal power supply switch (115V/230V) Input: AC 100-130V/200-260V, 50Hz/60Hz Output: DC +5V/6A +12V/11A
Drive support	3.5" HDD/SSD
Minimum System Requirements	Windows XP, Vista, 7 Mac OS 10.x Linux Kernel 2.6.31 or above Computer with SuperSpeed USB 3.0 or USB 2.0 interface
Enclosure interface	USB 3.0 (Max. 5Gbps) compatible with USB 2.0, eSATA(Max. 3Gbps)
LED indicator	Power LED - Blue for power on HDD status LED - Blue for HDD detected Red flashing for HDD access
Net Weight	3300±20g
Dimension	266mm (D) x 187mm (W) x 130mm (H)
Environment	Operating Temperature: 5°C ~ 35°C Operating Humidity: 20%RH ~ 80%RH Storage Temperature: -20°C ~ 50°C Storage Humidity: 20%RH ~ 80%RH
Accessories	TS431U (hard drives not included) USB 3.0 cable x 1 e-SATA cable x 1 Power cord x 1 User manual x 1

Additional Information

Brand	SilverStone Technology
SKU	TS431U
Weight	1.5000
Color	Black
Device Type	External SSD/HDD Enclosure
Bay Size	Quad 3.5"/2.5" Bay
Vendor SKU/EAN	844761009571

