



# Silverstone RS432U Four Bay 1U Rackmount Tower with USB 3.0, eSATA Interface, and RAID Modes

\$258.99

## Product Images





## Short Description

---

SilverStone created an incredible storage product in the TS432U. It connects to the PC via 5Gbps SuperSpeed USB 3.0 interface or 3Gbps eSATA interface which enables data transfer with maximum compatibility and stability.

## Description

---

SilverStone created an incredible storage product in the TS432U. It connects to the PC via 5Gbps SuperSpeed

USB 3.0 interface or 3Gbps eSATA interface which enables data transfer with maximum compatibility and stability. A full range of RAID modes (RAID 0, 1, 3, 5, 10, Combine, Clear RAID) are supported and a practical duplication mode that allows you to transfer data even without a PC. Additional features includes a clear LCD panel situated at the front of the device displaying operating status and two cooling fans help HDD dissipate heat. The TS432U offers a convenient and economical way to store data and is suitable for all users that require frequent backup and data manipulation.

## Features

---

- USB 3.0 and eSATA interface
- front control panel
- Trayless and tool-free design
- Built-in RAID 0,1,5,10,JBOD
- Duplicator

## Specifications

---

Model No.

SST-TS432U

Enclosure material Aluminum + SECC

Color Black

Cooling system 60mm fan x 2

HDD Drive Support SATA III/SATA II/SATA I

Certifications CE、FCC、RoHS compliance

Power Supply Internal universal power supply switch (115V/230V)  
Input: AC 100-130V/200-260V, 50Hz/60Hz  
Output: DC +5V/6A +12V/11A

Drive support 3.5" HDD/SSD

Minimum System Requirements Windows XP, Vista, 7  
Mac OS 10.x  
Linux Kernel 2.6.31 or above  
Computer with SuperSpeed USB 3.0 or USB 2.0 interface

Enclosure interface USB 3.0 (Max. 5Gbps) compatible with USB 2.0, eSATA(Max. 3Gbps)

LED indicator	Power LED - Blue for power on HDD status LED - Blue for HDD detected Red flashing for HDD access
Net Weight	3300±20g
Dimension	266mm (D) x 187mm (W) x 130mm (H)
Environment	Operating Temperature: 5°C ~ 35°C Operating Humidity: 20%RH ~ 80%RH Storage Temperature: -20°C ~ 50°C Storage Humidity: 20%RH ~ 80%RH
Accessories	TS432U (hard drives not included) USB 3.0 cable x 1 e-SATA cable x 1 Power cord x 1 User manual x 1

## Additional Information

Brand	SilverStone Technology
SKU	TS432U
Weight	1.5000
Color	Black
Device Type	External SSD/HDD Enclosure
Bay Size	Quad 3.5"/2.5" Bay
Vendor SKU/EAN	844761009588

