

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com











# Aquatuning AT-Protect Coolant - UV Blue Clear Canister 5000ml

\$30.95

# **Product Images**





# **Short Description**

Ready to use coolant which can be poured into the cooling loop without further mixing or dilution. Specially developed for closed cooling loops, highly effective and long-term stable anticorrosive for PC cooling systems. Suitable for loops with multiple different materials (e.g. Copper, brass, Aluminum, plastics, gaskets).

# Description

Ready to use coolant which can be poured into the cooling loop without further mixing or dilution. Specially developed for closed cooling loops, highly effective and long-term stable anticorrosive for PC cooling systems. Suitable for loops with multiple different

materials (e.g. Copper, brass, Aluminum, plastics, gaskets). The corrosion inhibitors work effectively and protect your system over a long period of time.

Metering is easy, as AT-Protect is filled into the cooling loop undiluted and without further mixing. To ensure proper functionality of the coolant no additional dilution (e.g. with water) is permissible. AT-Protect is non-odorous, colourfast and non-flocking.

AT-Protect UV clear contains no Gylsantine or glycol and hence does not reduce the heat absorption of the water. It is hence perfect for use in high-performance water cooling systems.

## **Features**

- Low electrical conductivity
- Extra-pure distilled / de-ionized water with an electrical conductivity of 1µS/cm is used in the production of this coolant
- Contains additives against algae and corrosion inhibitors
- High-quality colour pigments create intense, staurated and bright colours
- Not aggressive against Acrylic, Acetal, rubber or other gasket materials
- Conforms with RoHS regulations

# **Specifications**

· Color: Clear

Fluorescence: UV blueContent: 5000ml

### Warning:

Contains Benzotriazol (non respirable). Keep out of the reach of children. In case of contact rinse immediately with plenty of water and seek medical advice.

Note: Manufacturing residues in radiators may lead to unwanted reactions, hence this product must be used with cleaned radiators.

# Additional Information

Brand	Aquatuning
SKU	AT-30276
Weight	11.0000
Color	UV Blue
Fluid Type	DI Water Based
Volume	5 liter
Vendor SKU/EAN	4049469094034



3