




Phobya Xtreme 200 - 85mm V.2 - Full Copper

\$123.95

Product Images



Attention: Check screw lenght before mounting



25mm fan

35mm

PHOBYA

Phobya 30mm screws:
 To use with 25mm fan only
 or with fan grill

Phobya 35mm screws:
 Only to use with 25mm fan plus
 fan grill and decoupling!

Short Description

An absolute high-end radiator with an exceptional price-performance-ratio. This new Phobyra radiator offers not only excellent design and quality of manufacturing, it also provides excellent cooling performance.

Description

An absolute high-end radiator with an exceptional price-performance-ratio. This new Phobyra radiator offers not only excellent design and quality of manufacturing, it also provides excellent cooling performance.

The new Phobyra radiators of the Xtreme series belong to the absolute high-end heat exchangers. The copper fins are optimized for super-silent fans. The low flow resistance is achieved using parallel coolant channels. This radiator is optimal for slow-spinning fans with a diameter of 180mm and more.

The special feature of this radiator are the removable fan adaptors (only one fan plate included). These faceplates have multiple M3 threads which make the radiator compatible with many different fans and hence cases. The Phobyra Xtreme 200 radiator may also be used without a fan, the cooling performance is sufficient for small systems. The passive performance can be improved by completely removing the fan adaptor plates for maximum cooling surface.

The radiator has 4 G1/4" threads integrated to allow use of all common fittings. The included black nickel screw caps can be used to seal the two unused threads.

Version 2 Full Copper

An additional new feature of the now completely black radiator are now the caps in brass black nickel. The sides on this version are mounted with a more complicated procedure which means that they are a bit more expensive but also look just great! More than that the V2 has not only copper fins, but also copper channels and copper chambers only the threads are made of brass. For those who want copper-only watersystems this radiator is the first choice.

Fan compatibility:

Fan type: Phobyra Phobyra G-Silent 18 Series and other 180mm fans

Hole spacing for the radiator grill (LxW): 185 x 185mm

Case compatibility:

- Aplus CS-EL Diablo
- Aplus TwinEngine II Color Big-Tower
- CM Storm SGC-6000-KWN1-GP Sniper
- Cooler Master HAF Tower RC-932-KKN1-GP
- Cooler Master RC-840-KKN1-GP ATC
- Enermax Phoenix Neo ECA3162
- IN WIN Fanqua BS652 Midi-Tower
- IN WIN Maelstrom Big Tower
- Thermaltake Spedo VI90001N2Z
- Thermaltake Element V Tower VL200K1W2Z

Please note that on some cases additional modifications may be needed. More information can be found [here](#) in our case-radiator compatibility list for download.

If you have found any more cases or fans please write us an E-Mail at: info@aquatuning.de

Features

Version 2 Full Copper

An additional new feature of the now completely black radiator are now the caps in brass black nickel. The sides on this version are mounted with a more complicated procedure which means that they are a bit more expensive but also look just great! More than that the V2 has not only copper fins, but also copper channels and copper chambers only the threads are made of brass. For those who want copper-only watersystems this radiator is the first choice.

Fan compatibility:

Fan type: Phobya Phobya G-Silent 18 Series and other 180mm fans

Hole spacing for the radiator grill (LxW): 185 x 185mm

Case compatibility:

- Aplus CS-EL Diablo
- Aplus TwinEngine II Color Big-Tower
- CM Storm SGC-6000-KWN1-GP Sniper
- Cooler Master HAF Tower RC-932-KKN1-GP
- Cooler Master RC-840-KKN1-GP ATC
- Enermax Phoenix Neo ECA3162
- IN WIN Fanqua BS652 Midi-Tower
- IN WIN Maelstrom Big Tower
- Thermaltake Spedo VI90001N2Z
- Thermaltake Element V Tower VL200K1W2Z

Please note that on some cases additional modifications may be needed. More information can be found [here](#) in our case-radiator compatibility list for download.

If you have found any more cases or fans please write us an E-Mail at: info@aquatuning.de

Specifications

Technical specifications:

- Material: Copper fins, copper channels, copper chambers, brass threads
- Colour: Completely matte black
- Dimensions: (L x W x H): 240x199x85mm
- Connection threads: G1/4"
- Weight: approx. 800g
- Mountable from both sides
- Mounting thread size: M3
- Fan compatibility: 1x 180-225mm
- Pressure tested: 2 Bar
- Additional features: De-aeration screw
- Fins per Inch: 12FPI

Extent of delivery:

- 1x Radiator
- 4x M3x30mm screws
- 4x M3x5mm screws

- 1x Fan adaptor plates for 180mm fans
- 3x Black nickel screw plugs

This radiator has been reviewed by the "Bastelorakel" [here](#).

Please note: To mount both fan plates (only one fan plate included) at the same time additional screws are needed: 4x 6mm M3 e.g. item No. 94567 and 4x30mm M3 e.g. item No. 94570

Please note: Always consider the fan thickness when mounting the radiator with or without a fan. Depending on the application different screws may be required!

Attention:

The reddish brown "stains" on the fins is no rust. Please note that this is a copper radiator and the note: "The whole radiator was coated with a robust black lacquer. The fins are coated with a thinner layer to improve the appearance without compromising cooling performance.". The lacquer coat is made from the same material, hence the reddish-brown "stains".

Attention: The radiator can be damaged, if the screws are screwed too deep. Please pay attention to the right length of the screws. The screws do not have the same size in every delivery.

Note: To avoid storage or manufacture-related residues in the circulation, Please rinse the radiator completely before assembling.

Additional Information

Brand	Phoby
SKU	PH-35494
Weight	1.7000
Color	Black
Radiator Size	60mm
Radiator Thickness	86mm
Vendor SKU/EAN	4049469166151

