

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com











# Alphacool HT 13mm Compression Fitting G1/4 for Plexi/Brass tubes -Knurled - Chrome

\$6.79

### **Product Images**





### Description

Alphacool HardTube compression fittings are a true masterpiece promising absolute tightness and high quality.

Suitable for all Alphacool HardTubes and Monsoon hard tube with an outer diameter of 13mm. Available in Deep Black and Chrome.

#### Tube Installation:

First put the nut on the pipe, follow it with the plastic disc which protects the O-ring and the thick O ring itself. Now the tube is easily inserted into the port where the second O-ring is seated resting very close to the tube. As a final step, the nut is pushed and screwed onto the fitting.

For easy tightening / removal an 8mm Allen key can be used on the inside of the fitting. Please make sure you do not over tighten the fittings.

### Specifications

Size 13/10mm (ID 3/8" OD 1/2") Thread G1/4" outer thread Color: Silver nickel Compatibility: Acrylic tubing, Brass/Copper Tube Dimensions (L x B x H): 22 x 22 x 17mm Manufacturer: Alphacool Material: Brass Rotatable: No Specification: Shape: straight Thread length: 5mm Scope of delivery: 1x 13mm HardTube fitting Chrome

2

## Additional Information

cool
188
Compression
n/12mm
ht
97171885
Compression n/12mm



4/19/24