



Noctua NF-P14s redux 900 140mm Quiet Case Fan

\$19.95

Product Images



Short Description

Now available in a square frame version called NF-P14s (s for square frame) that lends itself to use in case and radiator cooling, the classic NF-P14 is a long-standing favourite among enthusiast users around the world and helped to found Noctua's reputation as a top-tier manufacturer of premium quality quiet cooling components. The new redux edition reissues this award-winning model in a streamlined, accessibly priced

package that has been reduced to the essential core: the NF-P14 premium fan.

Description

Noctua NF-P14s redux 900

Now available in a square frame version called NF-P14s (s for square frame) that lends itself to use in case and radiator cooling, the classic NF-P14 is a long-standing favourite among enthusiast users around the world and helped to found Noctua's reputation as a top-tier manufacturer of premium quality quiet cooling components. The new redux edition reissues this award-winning model in a streamlined, accessibly priced package that has been reduced to the essential core: the NF-P14 premium fan. Its industry grade SSO bearing, over 150.000 hours MTBF rating and full 6 years manufacturer's warranty make the NF-P14 redux a proven premium choice that provides trusted Noctua quality at an attractive price point. The extra slow 900rpm version is ideal for ultra-low-noise applications and highly noise sensitive users who demand near-silent operation.

Features




Proven NF-P14 design

Tens of thousands of quiet cooling enthusiasts around the globe swear by Noctua's classic NF-P14. Thanks to its impressive quietness, excellent performance and impeccable quality, the NF-P14 has become an established reference for quiet 140mm fans.



Streamlined redux edition

The redux product line reissues some of Noctua's most popular, award-winning models by presenting them in streamlined, accessibly priced packages. All redux edition products are industry proven, time-tested models that helped to found Noctua's reputation as a first-tier supplier of premium grade low noise cooling equipment.



Square 140mm Frame

The square 140mm frame of the NF-P14s features standard 140mm mounting holes (124.5mm spacing), which makes it a premium grade replacement for common 140mm case fans and perfect for use on 140mm water cooling radiators, where its square shape will ensure full coverage and best pressure performance.




Pressure-optimized Nine-Blade Design

Specifically developed for high-impedance applications such as CPU coolers, water-cooling radiators or cases with tight fan grills, the NF-P14's nine-blade impeller provides outstanding pressure and airflow performance.




Vortex-Control Notches

Noctua's signature Vortex-Control Notches split up trailing edge vortices and thus spread the fan's noise emission over a wider range of frequencies. This measure makes the fan sound more pleasant to the human ear.




Smooth Commutation Drive 2

The latest version of Noctua's advanced Smooth Commutation Drive system ensures superb running smoothness by eliminating torque variations and switching noises. This makes the fan remarkably quiet even at very close distance.



SSO2 Bearing

Combining the proven concept of hydrodynamic bearings with an additional magnet that supports the self-stabilisation of the rotor axis, Noctua's time-tested SSO-Bearing technology has become synonymous with supremely quiet operation and exceptional long-term stability.



Optional Accessories

Users can choose from Noctua's wide range of optional accessories such as anti-vibration mounts, Low-Noise-Adaptors, y-cables, 3:4 pin adaptors or extension cables to upgrade redux edition fans according to their individual needs.



6 year manufacturer's warranty

Noctua fans are renowned for their impeccable quality and outstanding longevity. Like all Noctua fans, the redux edition models feature an MTBF rating of more than 150.000 hours and come with a full 6 years manufacturer's warranty.

Specifications

Size	140x140x25mm
Connector	3-Pin
Bearing	SSO
Rotational Speed (+/- 10%)	900 RPM
AirFlow	87.3 m³/h - 49.3 cfm
Acoustical Noise	19.6 dB(A)
Static Pressure	.77mm H ₂ O
Max. Input Power	0.85 W
Max. Input Current	0.07 A
Voltage	12 V
MTBF	>150,000 h
Warranty	6 years
Scope of delivery	<ul style="list-style-type: none"> • Fan • 4 Fan Screws
Warranty	6 years

Additional Information

Brand	Noctua
SKU	NF-P14S-R9
Weight	0.7000
Color	Gray
Fan Dimensions	140mm
Fan Width	25mm
Fan Connection	3-Pin
Fan Voltage	12 VDC
Fan RPM	900
Fan CFM	49
Fan Noise (dB)	20

