


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222



Like Us Facebook




\$56.50



www.performance-pcs.com sales@performance-pcs.com

# Black Ice Nemesis 240GTS® Ultra Stealth U-Flow Low Profile Radiator -Primer

### **Product Images**



	5522	< > > <		
		2252		
		2502		
	APR I		222	
		<285<		
		2PC-		
	2252	2222		
_22S2		25,25		
		5555		
	<252	2DP		
	KKK S			
>~>>>		SECE		
		SPZ		
	2252			
22225		2500		
	KPRS			
	PDR			
	DDZ	SPSK	RPC	
	KKD2	CDSC	1252	
	2250		1552	
		2525		
DDKP			225	

#### Short Description

The Black Ice<sup>®</sup> Nemesis<sup>®</sup> 240GTS<sup>®</sup> scales performance by utilizing low-noise dual sub-800 rpm 120mm fans for even better performance with a reduced noise footprint. This provides casemod enthusiasts with a slim form factor dual fan radiator with the enhanced performance without the acoustic penalties.

#### Description

The Black Ice<sup>®</sup> Nemesis<sup>®</sup> 240GTS<sup>®</sup> scales performance by utilizing low-noise dual sub-800 rpm 120mm fans for even better performance with a reduced noise footprint. This provides casemod enthusiasts with a slim form factor dual fan radiator with the enhanced performance without the acoustic penalties.

#### Features

- 120 mm x 2 fan slim form factor two-pass radiator
- 278mm x 133mm x 29.6mm (L x W x H)
- 16 FPI 25 Micron Copper Fins
- Now optimized for sub-800 rpm ultra-stealth fans
- Supercruise optimizations for scalable performance with higher speed fans
- 15% more tubing area in the same Black Ice  $^{\rm \$}$  GTS  $^{\rm \"$  240 form factor
- Increased internal coolant flow rates
- Standard G 1/4" inlet/outlet fittings
- Standard M4 mounting threads
- Compatible with Black Ice<sup>®</sup> Pro II, Black Ice<sup>®</sup> GTS<sup>T</sup> 240 radiators
- Fully ROHS Compliant
- 100% Made from conflict-free materials

- Industry standard Black Ice<sup>®</sup> quality
- Lifetime warranty against manufacturing defects<sup>\*</sup>

\* Limited warranty information: www.hardwarelabs.com/nemesis/warranty \*\* radiator shown with optional push fittings

×

## Specifications

#### RecommendedCapacity StealthSupercruise8-Core CPU

120GTS	350W		
240GTS	750W	•	
360GTS	1200W	•	
480GTS	1500W	•	
140GTS	370W	•	
280GTS	800W	•	
420GTS	1350W	•	
560GTS	1600W		

GPU SLI/CrossfireFANS				
1	1 X 120mm			
DUAL	2 X 120mm			
QUAD	3 X 120mm			
QUAD	4 X 120mm			
1	1 X 140mm			
DUAL	2 X 140mm			
QUAD	3 X 140mm			
QUAD	4 X 140mm			

SLI and Crossfire names are trademarks<sup>™</sup> or registered<sup>®</sup> trademarks of their respective holders.

### Additional Information

Brand	Hardware Labs
SKU	N240GTS-F2PP
Weight	4.0000
Color	Primer White
Radiator Size	240 (2 x 120mm)
Radiator Thickness	30mm
Vendor SKU/EAN	4806518483078



October 23, 2014 The Quad Rad Roundup

"Performance should never be the sole metric to base a radiator choice on. In fact, never buy a radiator separately- get the radiator and appropriately chosen fans in terms of airflow, static pressure and noise levels you are comfortable with. "The HWL (Black Ice NEMESIS) rads scale great with airflow while the XSPC RX V3 does not- goes to show that liquid and air flow restrictions don't tell everything and the entire package can affect things. The Nemesis series was optimized for scaling and it has showed to be the case in here." -Varun S. Gangoli. Read the whole review HERE.

**Internet Reviews** 

