




# EK-CoolStream CE 280 (Dual)

\$79.99

## Product Images





## Short Description

---

EK-CoolStream CE is a high-performance computer liquid cooling radiator which combines EK's unique CSQ design with latest radiator core engine. Built for EK-Vardar 140mm high static pressure fans, these radiators are optimized for maximum heat dissipation across entire fan operational range thus delivering exceptional performance at both low- and high airflow operation.

## Description

---

EK-CoolStream CE is a high-performance computer liquid cooling radiator which combines EK's unique CSQ design with latest radiator core engine. Built for EK-Vardar 140mm high static pressure fans, these radiators are optimized for maximum heat dissipation across entire fan operational range thus delivering exceptional performance at both low- and high airflow operation.

EK assured quality level, optimal price-performance ratio and unique minimalistic design make these EK-CoolStream CE series radiators a perfect choice for any computer water cooled system.



This radiator offers best cooling capacity in the 45mm thick radiator class: Dual stack copper fins provide massive surface area while the parallel flow cooling chambers reduce hydraulic flow resistance to a minimum. Radiator shrouds are tapped with UNC 6-32 threads on both sides to enable push-pull fan installation to even further increase the cooling performance.

This product features two recessed G1/4 threaded ports with pre-installed extenders to allow any G1/4 threaded fitting to be used. EK recommends EK-ACF series compression fittings.

## Specifications

---

### Technical details:

- Material:
  - Copper fins
  - 90% copper tubing (H90)
  - Brass chambers
  - Aluminum/Steel housing
- Dimensions: 320 x 145 x 45mm (L x W x H)
- Weight: 1.12kg
- Liquid Capacity: ~290mL
- FPI: 16
- Port threads: 2x G1/4
- Fan compatibility: any standard size 140x140x25mm fan; UNC 6-32 thread tapping
- Pressure tested: 1bar(g)

### Enclosed:

- EK-CoolStream CE series radiator /w two pre-installed G1/4 extenders
- Flat-head UNC 6-32 screws (l=30mm)
- Flat-head UNC 6-32 screws (l=5mm)
- Allen key 2,5mm

- Allen key 9mm

PLEASE NOTE:

- When using fans other than standard 140x140x25mm size please use appropriately long screws!
- Use of the improperly long screws may result in piercing of the radiator core and irreparable damage the product. Such misuse is not covered by product warranty!

## Additional Information

---

Brand	EK Waterblocks
SKU	EK-RAD-CE-280
Weight	5.0000
Color	Black
Radiator Size	280 (2 x 140mm)
Radiator Thickness	45mm
Vendor SKU/EAN	3831109860373

