

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com












Noctua NH-L9X65 92mm Low-Profile Performance CPU Cooler

\$54.95

Product Images



Short Description

The NH-L9x65 is a taller, performance-enhanced version of Noctua's award-winning NH-L9 low-profile coolers. With 65 instead of 37mm height and four instead of two heatpipes, the NH-L9x65 is more powerful than its smaller siblings yet retains their 95x95mm footprint, which guarantees 100% RAM and PCIe compatibility on Intel based ITX mainboards and makes the cooler more convenient to work with as it doesn't overhang near-socket connectors.

Description

The NH-L9x65 is a taller, performance-enhanced version of Noctua's award-winning NH-L9 low-profile coolers. With 65 instead of 37mm height and four instead of two heatpipes, the NH-L9x65 is more powerful than its smaller siblings yet retains their 95x95mm footprint, which guarantees 100% RAM and PCIe compatibility on Intel based ITX mainboards and makes the cooler more convenient to work with as it doesn't overhang near-socket connectors. Thanks to the highly optimised NF-A9x14 premium fan that supports fully automatic speed control via PWM, the NH-L9x65 runs remarkably quiet. Topped off with the professional SecuFirm2™ multi-socket mounting system for Intel and AMD, Noctua's renowned NT-H1 thermal compound and 6 years manufacturer's warranty, the NH-L9x65 fuses everything users have come to expect from Noctua's larger coolers into a compact premium package for space restricted systems.

Caution: The NH-L9x65 is a highly-compact low-profile quiet cooler designed for use in small form factor cases and HTPC environments. While it provides first rate performance in its class, it is not suitable for overclocking and should be used with care on CPUs with more than 84W TDP (Thermal Design Power). Please consult our TDP guidelines to find out whether the NH-L9x65 is recommended for your CPU.

Features

65mm low profile

Due to its compact heatsink and the 14mm thin NF-A9x14 low profile fan, the NH-L9x65 stands only 65mm tall (the same height as low-profile expansion cards), which makes it ideal for use in compact HTPCs or Small Form Factor cases that offer limited clearance for CPU coolers.

100% RAM compatibility on Intel platforms

The NH-L9x65 has a 95x95mm footprint that complies exactly to the Intel LGA115x socket keep-out zone. This means that it won't cause issues with chipset coolers and doesn't overhang the RAM slots, making it fully compatible with tall memory modules.

100% compatibility with PCIe cards on ITX

Many Intel LGA115x based mini-ITX mainboards have the PCIe slot sitting close to the 95x95mm socket zone. While larger coolers that exceed this zone may block the PCIe slot, the 95x95xmm sized NH-L9i provides full compatibility with PCIe cards.

Easy access to near-socket connectors

Many low-profile coolers use larger fans or heatsinks in order to achieve sufficient cooling performance, but protruding over the socket zone, they make it difficult or even impossible to reach near-socket connectors on tightly packed ITX mainboards. Thanks to its 95x95mm footprint, the NH-L9x65 provides easy access to all connectors and components.

NF-A9x14 PWM premium fan

The highly optimised NF-A9x14 premium fan features Noctua's proprietary AAO frame as well as sophisticated aerodynamic design measures. Supporting PWM for fully automatic speed control, the NF-A9x14 allows the NH-L9x65 to stay remarkably quiet.

Low-Noise Adaptor

Allowing to reduce the maximum speed of the NF-A9x14 fan from 2500 to 1800rpm, the included Low-Noise Adaptor (L.N.A.) makes it possible to achieve near-silent setups using CPUs with up to 65W TDP.

SecuFirm2[™] mounting system

Noctua's SecuFirm2[™] mounting systems have become synonymous with quality, safety and ease of use. Supporting Intel LGA115x (LGA1150, LGA1151, LGA1155, LGA1156), LGA2011 and AMD (AM3(+), AM2(+), FM1, FM2(+)), the SecuFirm2[™] mounting included with the NH-L9x65 guarantees perfect contact pressure and maximum convenience on all current sockets.

Compatibility with past and future sockets

Complying with the open SecuFirm™ standard, the NH-L9x65 can be made compatible with the older LGA1366 and LGA775 sockets using the optional NM-I3 mounting kit, which is provided by Noctua free of charge. If technically possible, Noctua will also provide upgrade kits for future sockets.

NT-H1 thermal compound

Having received more than 100 awards and recommendations from hardware journalists around the world, Noctua's NT-H1 is a proven professional grade TIM solution that provides minimum thermal resistance, excellent ease of use and outstanding reliability.

6 years warranty

Noctua products are renowned for their impeccable quality and outstanding longevity. Like all Noctua fans, the supplied NF-A9x14 features an MTBF rating of more than 150.000 hours and the entire NH-L9x65 package comes with a full 6 years manufacturer's warranty.

Specifications

Socket compatibility

Intel LGA2011-0 & LGA2011-3(Square ILM), LGA1156, LGA1155, LGA1151, LGA1150 & AMD AM2, AM2+, AM3, AM3+, FM1, FM2, FM2+ (backplate required)

Height (without fan)

51 mm

Width (without fan)	95 mm
Depth (without fan)	95 mm
Height (with fan)	65 mm
Width (with fan)	95 mm
Depth (with fan)	95 mm
Weight (without fan)	340 g
Weight (with fan)	413 g
Material	Copper (base and heat-pipes), aluminium (cooling fins), soldered joints & nickel plating
Max. TDP	see TDP guide
Fan compatibility	92x92x14, 92x92x25

Scope	of	Del	livery
-------	----	-----	--------

- NF-A9x14 PWM premium fan
- Low-Noise Adaptor (L.N.A.)
 NT-H1 high-grade thermal compound
 SecuFirm2™ Mounting Kit
 Noctua Metal Case-Badge

Warranty	6 Years
Fan specifications	
Model	Noctua NF-A9x14 PWM
Bearing	SSO2
Max. Rotational Speed (+/- 10%)	2500 RPM
Max. Rotational Speed with L.N.A. (+/- 10%)	1800 RPM
Min. Rotational Speed (PWM, +/-20%)	600 RPM
Max. Airflow	57,5 m³/h

May	Airflow v	with I	NI A	
IVIAX	AILLIOWV	///////////////////////////////////////	.IV.A.	

40,8 m³/h

Max. Acoustical Noise	23,6 dB(A)
-----------------------	------------

Max. Acoustical Noise with L.N.A. 14,8 dB(A)

Input Power 2,52 W

Voltage Range 12 V

MTBF > 150.000 h

Additional Information

Brand	Noctua
SKU	NH-L9X65
Weight	1.5000
Color	Brown
Material	Copper/Aluminum
Fan Dimensions	92mm
Fan Connection	4-Pin PWM

