



(((NB)))[®] Noiseblocker NB-eLoop B14-2 Bionic fan 900U/min (140x140x29mm)

\$24.99

Product Images



Features

Welcome to the future!

- 100% developed in Germany
- TÜV-certified sound level specifications = real data

- extremely low-noise bionic loop rotor
- bionic deep sound fan frame
- position-invariant magnetic bearing NB-NanoSLI® 2NEW!
- silent NB-EKA P2 Drive NEW!
- Bayer® Makrolon® rotor with anti-dust technology
- weighted reinforced fibreglass PBT frame
- NB cable management with two pluggable connection cables
- Perfect results for PC casing, CPU cooling systems and radiator(higher cooling power at same revolution ratel)

Specifications

Air flow:	109,22 m ³ /h
Air flow range:	100 - 149 m ³ /h
Dimensions:	140 x 140 x 29mm
Frame Color:	Black
Input:	0,66 W
LED:	Not available
Lifespan (at 25°C):	160.000 h
Manufacturer:	Noiseblocker
Power connector:	3Pin Molex
Pressure:	0,652 mm H2O
RPM signal transmission:	Yes
Rated speed:	900 rpm
Rated speed range:	0 - 950 rpm
Rotor color:	White
Size:	140mm
Start volatge:	4,5V DC
Voltage rated:	12V DC
Volume:	16,95 dB(A)
Volume range:	10 - 19,9 dB(A)

Scope of Delivery:

- 4 fine thread screws and knurled nuts for tool free assembly
- 4 NB silicone slices for vibration-free assembly
- each 2x 20 and 50 cm connection cable with textile sheath

Additional Information

Brand	Blacknoise
SKU	ITR-B14-2
Weight	0.5000
Color	White
Fan Dimensions	140mm
Fan Width	29mm
Fan Connection	3-Pin
Fan Voltage	12 VDC
Fan RPM	900
Fan CFM	109
Fan Noise (dB)	17
Vendor SKU/EAN	4250051906486

