



Thermal Grizzly Conductionaut High Performance Thermal Grease - 1g

\$12.95 As low as
\$7.20

Product Images



Description

Our Conductionaut liquid metal thermal compound is designed for applications that require very high efficiency. Conductionaut is recommended for experienced users who are looking for a top performance product with best heat dissipation where temperature ranges are above 8 °C.


- Ultra high thermal conductivity
- Increased indium content
- Easy application with synthetic needle

For pricing on large quantity orders please email us at Sales@performance-pcs.com

Note: This Item can not be shipped using DHL

Features

Application	Rating
<i>Thermal Conductivity</i>	*****
<i>Extreme-Overclocking</i>	*
<i>Overclocking</i>	*****
<i>Water Cooling</i>	*****
<i>Air Cooling</i>	*****
<i>Silicone Sensitive Areas</i>	—



Thermal Grizzly Conductionaut is a liquid metal thermal compound based on a eutectic alloy. Our special mixture of metals like tin, gallium and indium, Conductionaut excels with a very high thermal conductivity and excellent long-term stability.

Specifications

<i>Thermal Conductivity</i>	73 W/mk
<i>Viscosity</i>	0,0021 Pas
<i>Density</i>	6,24g/cm3
<i>Temperature</i>	10 °C / +140 °C
<i>Content</i>	1 g

Note: Conductionaut thermal grease must not be used with aluminum heatsinks!

Additional Information

Brand	Thermal Grizzly
SKU	TG-C-001-R
Weight	0.2500
TIM Type	Paste
Vendor SKU/EAN	0753677507449

