


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222








www.performance-pcs.com sales@performance-pcs.com

PrimoChill 1/2in. Rigid RevolverSX Series Fitting – Yellow – 12 Pack

\$77.95

Product Images



Short Description

RevolverSX Rigid tubing fittings, PrimoChill's answer to hodge podge of different colors used in your watercooling build. RevolverSX is the foundation of your next build, pick the color that best matches your build and simply install, now that was EASY... Powering the modder and watercooler alike.

Description

RevolverSX Rigid tubing fittings, PrimoChill's answer to hodge podge of different colors used in your watercooling build. RevolverSX is the foundation of your next build, pick the color that best matches your build and simply install, now that was EASY... Powering the modder and watercooler alike.

Taking your system to the next level is an art form driven by color and textures. PrimoChill's latest offering of water cooling rigid compression fittings has married these features into one incredible fitting poised to dominate the market once again. Years in the making. The RSX fitting truly represents the principles of PrimoChill. A fitting built for functionality complimented by its distinct aesthetics. Not all fittings are created equal. The RSX is proof of this. Yet, the road has been proven difficult. Protypes. Revisions. Testing. More testing. Back to the drawing board. Tears. Sweat. Long nights of no sleep. More revisions. Until finally now. A product you deserve. A fitting that gives you the creative freedom all while making sure your PC is taken care of. We understand that water cooling is more than a hobby. It's a lifestyle. We don't mess around. This one's for you.

Features

0

Specifications

- Industry Standard G 1/4 threads
- Nickel Plated Brass base
- Diamond Knurl Cap
- Available in 21 different colors
- Patent Pending Design O-Ring compression sealing pipe coupling system

Compatibility

These fittings are designed to work with the tubing below.

- 3/8 in. ID x 1/2 in. OD Rigid PETG tubing
- 3/8 in. ID x 1/2 in. OD Rigid PMMA tubing
- 3/8 in. ID x 1/2 in. OD Rigid Copper tubing

Included Parts

- 12x Revolver SX Fitting
- 14x Bottom sealing o-ring
- 14x Tubing sealing o-ring
- 1x Revolver Removal Tool

Installation

- No installation tool required. Finger tighten only.
- The Revolver tool was designed for removing the cap only, not installing them.
- RSX caps are coated with a durable powder coat but we still recommend handling with care so you can enjoy the finish for years to come.

Warnings

Although aluminum is used for the outside compression ring, no aluminum comes in direct contact with the fluid so mix metal corrosion is not an issue.

PrimoChill is not responsible for any hardware damage. Use at your own risk.

Candy SX finishes can vary in tone based on surfaces. Knurled surfaced appear darker than smooth surfaces!

Additional Information

| Brand | Primochill |
|----------------|-------------------|
| SKU | F-RSX12-Y-12 |
| Weight | 1.2000 |
| Special Order | No |
| Fitting Type | Rigid Compression |
| Fitting Size | 1/2" |
| Fitting Angle | Straight |
| Fitting Finish | Yellow |
| | |

