


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222







www.performance-pcs.com sales@performance-pcs.com

# A Phobya Screw DIN 7985 M3 x 35 Cross Flat Zinc Coated

## \$0.59

#### **Product Images**



#### Description

Hex screws for mounting of fans (25mm) in radiators + aperture and / or housing cover. Through the use of

countersunk screws a clean design is ensured and the head closes smoothly. The conformity with DIN promises hassle-free transfer in all technical areas.

The variety of finishes opens up new applications and possibilities for your very own and unique computer!

These screws should be used only in combination with fan / radiator grill and fan, as the screws are too long for just assembly and damage the radiator.

#### Specifications

Compatibility among others:

All NexXxoS, Magicool, Airplex, Thermaltake, Innovatek, Koolance, Phobya and EK Water Blocks Radiators.

Technical details:

Material: galvanized steel

Color: Silvery

Thread size: M3

dimensions:

Grade: according to DIN 7985

Thread Length: 35mm

Overall Length: 36mm

Head diameter: 4mm

Delivery:

1x Screw DIN 7985 M3 x 35 cross flat zinc coated

### Additional Information

Brand	Phobya
SKU	PH-94501
Weight	0.0500
Color	Silver
Hardware Type	Screw
Screw Head	Phillips
Screw Thread	M3
Screw Length	35mm
Material	Steel
Vendor SKU/EAN	4049469025069

