

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com






Follow Us Twitter




Watch Our YouTube





\$21.95

Product Images



Features

0

Specifications

- Industry Standard G 1/4 threads
- Nickel Plated Brass base
- Diamond Knurl Cap
- Available in 21 different colors
- Patent Pending Design O-Ring compression sealing pipe coupling system

Compatibility

These fittings are designed to work with the tubing below.

- 3/8 in. ID x 1/2 in. OD Rigid PETG tubing
- 3/8 in. ID x 1/2 in. OD Rigid PMMA tubing
- 3/8 in. ID x 1/2 in. OD Rigid Copper tubing

Included Parts

- 12x Revolver SX Fitting
- 14x Bottom sealing o-ring
- 14x Tubing sealing o-ring
- 1x Revolver Removal Tool

Installation

- No installation tool required. Finger tighten only.
- The Revolver tool was designed for removing the cap only, not installing them.
- RSX caps are coated with a durable powder coat but we still recommend handling with care so you can enjoy the finish for years to come.

Warnings

Although aluminum is used for the outside compression ring, no aluminum comes in direct contact with the fluid so mix metal corrosion is not an issue.

PrimoChill is not responsible for any hardware damage. Use at your own risk.

Candy SX finishes can vary in tone based on surfaces. Knurled surfaced appear darker than smooth surfaces!

2

Additional Information

Brand	Primochill
SKU	F-RSX-UG-12
Weight	0.2000
Special Order	No
Fitting Type	Rigid Compression
Fitting Size	1/2"
Fitting Angle	Straight
Fitting Finish	Green



4/25/24