



Stardom SOHOTANK U7 Series - 5.25" 4-Bay Aluminum Enclosure

Special Price
\$116.95 was
\$179.95

Product Images



Short Description

SOHOTANK U7 Series with unlimited stackable design enables users to expand capacity easily, install with ease, remove devices quickly, and decrease host over-heating issues. U7 Series have complete aluminum casings to reach the highest level of overheat prevention.

Description

SOHOTANK U7 Series with unlimited stackable design enables users to expand capacity easily, install with ease, remove devices quickly, and decrease host over-heating issues. U7 Series have complete aluminum casings to reach the highest level of overheat prevention.

Features

- Stackable Design
 - Stackable Design for saving the space. It also supports the audio output, to turn personal Hi-Fi equipment into Stereo with additional 2-channel speakers.
- Compatible Features:
 - DVD-ROM/DVD-RW and HD Mobile Rack etc. 5.25" IDE Devices are compatible. Easy of Use
 - Plug & Play by Tray Module Design enables you to expand the Hard Drive easily.
- High Performance
 - Support various Interface (SCSI/USB/1394a/1394b+USB Combo/SATA) and platform of (PC/MAC).
- High Transfer Rate:
 - The high transfer rate ensures you to improve the job efficiency. (Transfer rate of 1394b up to 80 MB/Sec; USB 2.0 up to 56 MB/Sec)
- Large Capacity:
 - Providing the 1 Bay, 2 Bays and 4 Bays IDE Devices for selection and allows you to expand the capacity unlimited.
- High Stability:
 - To use the Oxford and Cypress chips which matching and stability features are accepted by customers, thus also ensures the stability of system without any crash burden.
- Tasteful Form Factor
 - Innovation and modernize appearance, also with Aluminum Case for overheats prevention.

Specifications

Specifications:

SOHOTANK Stackable External Storage Enclosure - U7 Series

SOHOTANK	Stackable External Storage Enclosure		
Model No. (SATA to SATA)	U7-1-S1	U7-2-S1	U7-4-S1

General

Host Interface	SATA
Host Transfer Rate	SATA:150MB/sec

Devices

Number of Devices	1	2	4
Device Interface	SATA 1.5Ghz		

Enclosure Features

Support Devices	5.25" DVD-ROM, DVD-RW, HD Mobile Rack Device		
System Requirements	Windows98/SE/ME/XP/2000 ; Mac OS 9.0 or higher		
Ball Bearing Fans	4 x 4 x1cm x1 set	6 x 6 x 1.5cm x1 set	1394 & USB Interface: 6 x 6 x1.5cm x 2 set
Power Supply	Dual 12V&5V DC Adapter 37W	100~240V 50~60Hz 70W	SCSI Interace: 8 x 8 x2cm x 1 set 100~230V 50~60Hz 200W
Enclosure	Audio Output to Stereo		

Electrical & Environmental

Operating Temperature	41 to 104F (5°C to 40°C)
Operating Humidity	10%—95% non-condensing

Physical Dimensions

Material	Aluminum Case		
Dimension (mm)	270Lx177Wx56H	270Lx177Wx142H	270Lx177Wx228H
Dimension per unit with box (mm)	338Lx110Wx230H	335Lx175Wx230H	335Lx225Wx265H
Weight per unit with box (kg)	6lbs	10	13

Price is for SATA enclosure but, Firewire and USB 2.0 Versions can be ordered using the options below.

Model No.	U7-4X
U7-4-B2 Host Interface	USB2.0(56 MB/Sec)
U7-4-WA Host Interface	1394a (50 MB/Sec)
U7-4-S1 Host Interface	SATA (150MB/Sec) (Optional)
Drive Interface	IDE ATA 133 or SATA 1.5Ghz
Chipset	1394a: Oxford 911 USB2.0: Cypress AT2 Plus SATA: NO.
IDE Device	4
Cooling Fan(cm)	SCSI Interace: 8 x 8 x2 x 1 set 1394 & USB Interface:6 x 6 x1.5 x 2 set
System Requirement	Windows 98/SE/ME/XP/2000 ; Mac OS 9.0 or higher
Power Supply	Input:90V~240V Output:50~60Hz 200W (Max.)
Case Material	Aluminum
Dimension	270Wx177Lx228H mm
Weight	4.3 Kg

Additional Information

SKU	U7-4S-S1
Weight	12.0000
Color	Silver
Device Type	External SSD/HDD Enclosure
Bay Size	Quad 5.25" Bay
Special Price	\$116.95

