


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222





\$63.99




www.performance-pcs.com sales@performance-pcs.com

- Alphacool Eisbaer (Solo) -2600rpm - Black

Product Images







Short Description

Along with the different prefilled "Eisbaer" coolers that are ready to use out of the box, the core of the "Eisbaer" is also available as a stand-alone option. With it, you can set up your system and choose which parts you want for it exactly as you wish. Thanks to the G¼" connections, nearly every standard water cooling attachment will fit. This way you can freely choose the hose thickness, colour and fluid, and design the "Eisbaer" to fit your wishes exactly.

Description

Along with the different prefilled "Eisbaer" coolers that are ready to use out of the box, the core of the "Eisbaer" is also available as a stand-alone option. With it, you can set up your system and choose which parts you want for it exactly as you wish. Thanks to the G¼" connections, nearly every standard water cooling attachment will fit. This way you can freely choose the hose thickness, colour and fluid, and design the "Eisbaer" to fit your wishes exactly.

The basis of the pumps is the Alphacool DC-LT Ceramic Ultra Low Noise, also available separately. The pump runs extremely quietly and can be regulated to between 7 and 12V. It can also be regulated through the motherboard. If the "Eisbaer" is being run alone, the 7V setting will still have next to no performance loss, as shown in diverse test results. The insulated pump case further perfects the noise generation and ensures that vibrations are almost completely absorbed.

The smooth and shiny polished copper base of the cooler ensures optimal heat absorption and can relay the heat over the fine slit structure of the cooler to the water quickly and efficiently.

Specifications

Connector:	2xG1/4	
Cooling performance:	Excellent	
Dimensions (L x B x H):	63 x 63 x 68mm	
Manufacturer:	Alphacool	
Material cooling plate:	Copper	
Material top cover:	Plastic	
Socket:	Intel 1150/1151/1155/1156, Intel 1366, Intel 2011(-3), Intel 775	
Pump (Alphacool DC-LT 2600 Ultra low noise Ceramic):		

- Speed: 2600 RPM
- Voltage: 7-13.5V DC
- Power consumption: 4W
- Maximum flow rate: 70L/h
- Maximum head: 0.85m

Scope of Delivery:

- 1x Alphacool Eisbaer (Solo) 2600rpm black
- 1x Intel bracket
- 1x AMD bracket
- 1x Thermal paste
- Mounting material

Additional Information

Brand	Alphacool
SKU	AC-12511
Weight	1.2500
Color	Black
Pump Type	DC-LT
Vendor SKU/EAN	4250197125116

