

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter







# Silverstone Reversible USB-C to USB-A cable .5 meter - Gold

\$16.99

## **Product Images**









#### **Short Description**

CPU05 is a SilverStone designed cable for USB Type-C Peripheral devices requiring USB 3.1 Gen 1 Type-C male to USB Type-A female cable USB connections. It has premium construction with nylon braiding and textured aluminum connector housing for great feel while in use. As an extension cable, the CPU05 supports 5Gbps high speed transfer via USB 3.1 Gen 1 interface and also has OTG (On-The-Go) function that allows your Type-C device to connect to a Type-A devices such as flash drive and mouse.

### Description

CPU05 is a SilverStone designed cable for USB Type-C Peripheral devices requiring USB 3.1 Gen 1 Type-C male to USB Type-A female cable USB connections. It has premium construction with nylon braiding and textured aluminum connector housing for great feel while in use. As an extension cable, the CPU05 supports 5Gbps high speed transfer via USB 3.1 Gen 1 interface and also has OTG (On-The-Go) function that allows your Type-C device to connect to a Type-A devices such as flash drive and mouse.

#### **Features**

- USB 3.1 Type-C male to USB Type-A female
- Cable sleeved with nylon braiding

- Connectors constructed with aluminum housing
- Supports OTG function

## **Specifications**

Model No. SST-CPU05-500

Color Gold / Silver / Charcoal

**USB** version USB 3.1 Gen 1

USB Type-C male x 1 (Host) Connectors

USB Type-A female x 1 (Target)

Data transfer rate USB 3.1 Gen1 up to 5 Gbps

Cable protect Nylon braided

Cable length 0.5 meter (1.65 ft)

Net weight 28g

68.5mm (W) x 140mm (H) x 35mm (D) Packing dimension

2.7" (W) x 5.51" (H) x 1.38" (D)

#### **Additional Information**

Brand	SilverStone Technology
SKU	SST-CPU05G-500
Weight	0.5000
Color	Gold
Cable Type	USB-C to USB-A
Length	100cm
Vendor SKU/EAN	844761014186

