

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com












Four Bay 1U Rackmount Tower with USB 3.0 and eSATA Interface

\$193.99

Product Images























Short Description

SilverStone created an incredible base storage product in the TS431U. It connects to the PC via 5Gbps SuperSpeed USB 3.1 Gen 1 interface or 3Gbps eSATA interface which enables data transfer with maximum compatibility and stability, making TS431U the best choice for storing and backing up large quantity of data.

Description

SilverStone created an incredible base storage product in the TS431U. It connects to the PC via 5Gbps

SuperSpeed USB 3.1 Gen 1 interface or 3Gbps eSATA interface which enables data transfer with maximum compatibility and stability, making TS431U the best choice for storing and backing up large quantity of data.

Features

- Support four 3.5" SATA HDD
- Built-in power supply and dual 60mm fans
- Compact and screw-less design for easy HDD installation
- Plug and Play
- Support USB 3.1 Gen 1 maximum 5Gbps transfer speed
- Support eSATA maximum 3Gbps transfer speed

Specifications

Enclosure material Aluminum + SECC

Color Black

Certifications CE、FCC、RoHS compliance

Windows 10/8.1/8/7 or future release version

Operating system

Mac OS 10.x or future release version Linux Kernel 2.6.31 or above

support

Computer with SuperSpeed USB 3.0 or USB 2.0 interface

Internal universal power supply switch (115V/230V)

Input: AC 100-130V/200-260V, 50Hz/60Hz Power Supply

Output: DC +5V/6A +12V/11A

JMB321, JMS539, ASM1453 (V1) Controller

JMB575, JMS567, ASM1456 (V2)

Drive support 3.5" HDD/SSD

Enclosure interface

USB 3.1 (Max. 5Gbps) compatible with USB 2.0, eSATA(Max. 3Gbps)

Power LED - Blue for power on

LED indicator HDD status LED - Blue for HDD detected

Red flashing for HDD access

Driver interface

support

SATA III/SATA II/SATA I

Cooling fan 60mm fan x 2

Operating Temperature: 5°C ~ 35°C

Environment Operating Humidity: 20%RH ~ 80%RH

Storage Temperature: -20°C ~ 50°C Storage Humidity: 20%RH ~ 80%RH

TS431U (hard drives not included)

USB 3.1 Gen 1 cable x 1

Accessories e-SATA cable x 1

Power cord x 1 User manual x 1

Net weight 3300±20g

Dimension 187mm (W) x 130mm (H) x 266mm (D)

7.36" (W) x 5.12" (H) x 10.47" (D)

Additional Information

Brand	SilverStone Technology
SKU	TS431U-V2
Weight	13.0000
Color	Black
Device Type	External SSD/HDD Enclosure
Bay Size	Quad 3.5"/2.5" Bay
Vendor SKU/EAN	844761014841

