




 Silverstone TS421S 4 bay
2.5" HDD / SSD storage kit

\$268.99

Product Images







Short Description

SilverStone Technology has developed a new external storage device, the TS421S. It is a 4 bay storage tower with Mini-SAS interface that supports four 2.5" HDD / SSD and hot-swap function. For security, each drive tray also has metal key lock. Built-in cooling fan behind the chassis ensures drive and run cool for extended life. .

Description

SilverStone Technology has developed a new external storage device, the TS421S. It is a 4 bay storage tower

with Mini-SAS interface that supports four 2.5" HDD / SSD and hot-swap function. For security, each drive tray also has metal key lock. Built-in cooling fan behind the chassis ensures drive and run cool for extended life. Meanwhile, in order to allow common users can also enjoy high-speed transmission experience with Mini-SAS, SilverStone provide complete cables and adapters. Includes Mini-SAS SFF-8088 to Mini-SAS SFF-8088 cable, Mini-SAS SFF-8087 to SATA 7 pin cable, power adapter card and Mini-SAS adapter, the integrated package providing consumers with superior external storage solution.

Features

- Supports Mini-SAS SFF-8088 maximum 24 Gbps transfer speed
- Supports up to four 2.5" SAS / SATA 6 Gbit/s drives
- Individual metal key lock for each drive for extra security
- Independent drive status LED
- Built-in cooling fan for excellent heat dissipation
- Compatible with all 2.5" drives up to 15mm thickness
- Fully supports SATA Hot-Swap function
- Complete retail pack includes Mini-SAS SFF-8088 to Mini-SAS SFF-8088 cable, Mini-SAS SFF-8087 to SATA 7 pin cable, power adapter card and Mini-SAS adapter

Specifications

Storage

Model No.	SST-TS421S
Color	Black
Material	Steel
Drive support	4 x 2.5" SAS / SATA HDD or SSD
Transfer rate	Up to 6 Gbit/s (dependent on drive speed)
Host interface	Mini-SAS SFF-8088 26 pin connector x 1
LED indicator	Solid Green: Power On Yellow: Fan Failed Purple: Overheating White: HDD Read / Write
Cooling fan	80mm PWM fan x 1

Environment Operating Temperature: 5°C ~ 35°C
Operating Humidity: 20%RH ~ 80%RH
Storage Temperature: -20°C ~ 50°C
Storage Humidity: 20%RH ~ 80%RH

Net weight 1.4kg

Dimension 100mm (W) x 120mm (H) x 181mm (D)
3.94" (W) x 4.72" (H) x 7.13" (D)

Power adapter card

Model No. SST-ECP01

Input connector and current Peripheral 4-Pin female connector x 1 (12V/5A) or
SATA 15-Pin female connector x 1 (12V/5A)

Output connector and current DC jack connector x 1 (12V/5A)
USB Type-A female connector x 1 (5V/3A)

Intelligent Security Protection Over current protection

Cable length and specifications DC plug 1.2m cable with 18 AWG x 1 and OD 3.5mm DC dim 2.5mm to DC dim 2.1mm adapter

Net weight 35g

Dimension 120mm (W) x 21mm (H) x 53mm (D)
4.72" (W) x 0.83" (H) x 2.09" (D)

Internal Mini-SAS cable

Model No. SST-CPS03-RE

Color Black and blue

Connectors Mini-SAS SFF-8087 36pin (target) to SATA 7pin x 4 (host) with sideband cable

Length 500mm

SAS ports 4

External Mini-SAS cable

Model No. SST-CPS01

Color Black

Connectors Mini-SAS SFF-8088 26pin x 2

Length 1000mm

SAS ports 4

Mini-SAS adapter

Model No. SST-SA011

Adapter feature Internal Mini-SAS SFF-8087 x 1 to external Mini-SAS SFF-8088 x 1 adapter

Transfer bandwidth Up to 24Gbit/s

Connectors Internal : Mini-SAS SFF-8087 x 1 (to host terminal, e.g. motherboard or Mini-SAS expansion card)
External : Mini-SAS SFF-8088 x 1 (to external drive enclosure)

Mounting Low profile expansion slot, Standard expansion slot (Option)

Additional Information

Brand	SilverStone Technology
SKU	TS421S
Weight	8.0000
Color	Black
Device Type	External SSD/HDD Enclosure
Bay Size	Quad 5.25" Bay
Vendor SKU/EAN	844761013899

