


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com





Follow Us Twitter







Silverstone TS821S 8 bay 2.5" HDD / SSD storage kit

\$468.99


Product Images























Short Description

SilverStone Technology has developed a new external storage device, the TS821S. It is a 8 bay storage tower with Mini-SAS interface that supports eight 2.5" HDD / SSD and hot-swap function. For security, each drive tray also has metal key lock. Built-in cooling fan behind the chassis ensures drive and run cool for extended life.

Description

SilverStone Technology has developed a new external storage device, the TS821S. It is a 8 bay storage tower with Mini-SAS interface that supports eight 2.5" HDD / SSD and hot-swap function. For security, each drive tray also has metal key lock. Built-in cooling fan behind the chassis ensures drive and run cool for extended life. Meanwhile, in order to allow common users can also enjoy high-speed transmission experience with Mini-SAS, SilverStone provide complete cables and adapters. Includes Mini-SAS SFF-8088 to Mini-SAS SFF-8088 to SATA 7 pin cable, power adapter card and Mini-SAS adapter, the integrated package providing consumers with superior external storage solution.

Features

- Supports Mini-SAS SFF-8088 maximum 48 Gbps transfer speed
- Supports up to eight 2.5" SAS / SATA 6 Gbit/s drives
- Individual metal key lock for each drive for extra security
- Independent drive status LED
- Built-in cooling fan for excellent heat dissipation
- Compatible with all 2.5" drives up to 15mm thickness
- Fully supports SATA Hot-Swap function
- Complete retail pack includes Mini-SAS SFF-8088 to Mini-SAS SFF-8088 cable, Mini-SAS SFF-8087 to SATA 7 pin cable, power adapter card and Mini-SAS adapter

Specifications

Storage

Model No. SST-TS821S

Color Black

Material Steel

Drive support 8 x 2.5" SAS / SATA HDD or SSD

Transfer rate Up to 6 Gbit/s (dependent on drive speed)

Host interface Mini-SAS SFF-8088 26 pin connector x 2

Solid Green: Power On

Yellow: Fan Failed LED indicator

Purple: Overheating White: HDD Read / Write

80mm PWM fan x 2 Cooling fan

Operating Temperature: 5°C ~ 35°C

Operating Humidity: 20%RH ~ 80%RH Environment

Storage Temperature: -20°C ~ 50°C Storage Humidity: 20%RH ~ 80%RH

Net weight 2.63kg

200mm (W) x 120mm (H) x 181mm (D) Dimension

7.87" (W) x 4.72" (H) x 7.13" (D)

Power adapter card

Model No. SST-ECP01

Input connector and current

Peripheral 4-Pin female connector x 1 (12V/5A) or

SATA 15-Pin female connector x 1 (12V/5A)

Output connector and current

DC jack connector x 1 (12V/5A)

USB Type-A female connector x 1 (5V/3A)

Intelligent Security

Protection

Over current protection

Cable length and

specifications

DC plug 1.2m cable with 18 AWG x 1 and OD 3.5mm DC dim 2.5mm to DC dim

2.1mm adapter

Net weight 35g

120mm (W) x 21mm (H) x 53mm (D) Dimension

4.72" (W) x 0.83" (H) x 2.09" (D)

Internal Mini-SAS cable

Model No. SST-CPS03-RE

Black and blue Color

Connectors Mini-SAS SFF-8087 36pin (target) to SATA 7pin x 4 (host) with sideband cable

500mm Length

SAS ports

External Mini-SAS cable

Model No. SST-CPS01

Color Black

Connectors Mini-SAS SFF-8088 26pin x 2

Length 1000mm

SAS ports 4

Mini-SAS adapter

Model No. SST-SA022

Adapter feature Internal Mini-SAS SFF-8087 x 2 to external Mini-SAS SFF-8088 x 2 adapter

Transfer

Up to 48Gbit/s bandwidth

Internal: Mini-SAS SFF-8087 x 2 (to host terminal, e.g. motherboard or Mini-SAS

Connectors expansion card)

External: Mini-SAS SFF-8088 x 2 (to external drive enclosure)

Standard expansion slot Mounting

Additional Information

Brand	SilverStone Technology
SKU	TS821S
Weight	8.0000
Color	Black
Device Type	External SSD/HDD Enclosure
Bay Size	Octo 2.5" Bay
Vendor SKU/EAN	844761013905

