



Alphacool Eisfach - Single Laing D5 incl. Alphacool Eispumpe VPP755

\$87.95

Product Images





Short Description

The new Alphacool AGB comes in three different models. You can either connect a Laing DDC, the Alphacool DC-LT or the Laing D5/Alphacool VPP755 at the backplate depending on the model which you use.

Description

The step towards perfection

The new Alphacool AGB comes in three different models. You can either connect a Laing DDC, the Alphacool DC-LT or the Laing D5/Alphacool VPP755 at the backplate depending on the model which you use.

The brushed plate provides an optical finishing touch which is underlined by the high quality processing. The front consists of a scratch-secure soft-touch surface painted in black-matt.

The Eisfach is mounted in two of the front 5,25" bays which provides a good overview of the container and the fill level is easily being checked through the lighted window at the back. Additionally, the Alphacool logo in the front can be lighted by connecting the 3-pin connector with a power source.

A lot of details complement the first impression!

Two 1/4" holes at the top side are available for the first filling. To refill you can simply remove and extract the fillport in the front and two 1/4" holes at the bottom side facilitate the draining of the liquid. There are two

lighting modules at the right hand side at the back of the container behind the window for 5mm LEDs. This provides a unique opportunity for personalised lighting and optic. Further two holes at the left hand side provide additional opportunities to fill or drain the liquid. The last two 1/4" threads are used to fill or drain the container. A Bubble Down module has been placed behind the inlet to prevent turbulences that could lead air into the watercircle.

Specifications

Color:	black
Connector:	G1/4" inner thread
Fillport:	G1/4" inner thread
LED hole:	Not available
Manufacturer:	Alphacool
Material:	POM
Model of reservoir:	Tower tank
Number of connections:	4
Preinstalled pump:	Yes
Pump compatibility:	For 1x D5

Eisfach Technical Specifications

- Material: plastic, metal
- Colour: black
- Dimensions (LxWxH): 148 x 132 x 84.5mm
- Connection threads: 10x 1/4"
- Lighting: 2x 5mm LED

Eispump Technical Specifications

- Dimensions (DxH): 60 x 53.5mm
- Cable length: 50cm
- Standard voltage: 12V DC
- Power consumption: 14W
- Permitted voltage: 8-13V DC
- Pressure at 12V: 4m water head
- Maximum flow rate: 350l/h
- Pump medium: water, water/glycol mixture
- Maximum system temperature: 65°C
- Power connection: 4-pin molex
- Tach signal: 3-pin

- PWM signal: 4-pin
- Special feature: adjustable in five levels
 - Level 1: 1800 RPM
 - Level 2: 2500 RPM
 - Level 3: 3200 RPM
 - Level 4: 3900 RPM
 - Level 5: 4500 RPM

Scope of Delivery

- 1x Alphacool Eisfach - Single Laing D5 incl. Alphacool Eispump VPP755

CAUTION

Removing the impeller from the ceramic shaft will cause the upper ceramic clamping ring to over-expand, which will destroy it! Removal will void the pump's warranty!

If the pump is put together again and put back into operation, the clamping ring will loosen, which is not accepted as grounds for a return or exchange...

Additional Information

Brand	Alphacool
SKU	AC-13304
Weight	3.5000
Color	Black
Reservoir Type	Dual-Bay Res
Pump Type	Laing D5
Vendor SKU/EAN	4250197133043

