PPCS
· WATERCOOLING · MODIFICATIONS ·

Performance-PCs.com

1701 R. J. Conlan Blvd.
NE, Unit #5
Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com
sales@performance-pcs.com

Like Us Facebook

See Our Instagram

Follow Us Twitter

Watch Our YouTube

Thermaltake Contac Silent 12 CPU Cooler

$29.99

Product Images

Short Description

Great NEW CPU Cooler from Thermaltake has a 92mm PWM fan speed control, quiet frameless fan, and easy installation!

Description

Thermaltake Contac Silent 12 is a budget CPU cooler with excellent cooling performance, featuring a 120mm PWM controlled fan, high airflow fan blades, long life hydraulic bearing, low-noise operation as well as non-interference cooling design. The Contac Silent 12 supports all the latest Intel and AMD CPU socket.

Features

High Airflow Fan Blade Design

The fan blades are engineered to achieve the optimal cooling performance and generate large volume of air passing through the heatsink at any angle.

Long Life Hydraulic Bearing for Reliable and Silent Operation

The hydraulic bearing self-lubricates with a high quality, friction-reducing substance that lowers operation noise and enhance thermal efficiency. The seal cap prevents leakage of the lubricant and improves the lifespan of the unit.

Superior Heat Dissipation

Optimized 0.4mm thickness aluminum fins with 2.2mm air gap, and 4 x Ø6mm solid copper heat-pipes are designed for rapid heat dissipation, allowing maximum heat conductivity. The tower's side flow design delivers the best cooling performance. In addition, the heat-pipes are in continuous direct Contac with the CPU to ensure fast and efficient heat dissipation.

Optimized Silent Operation

The Contac Silent 12 comes with a LNC (Low-Noise Cable) that can reduce 24% of noise level and 27% of fan speed.

Special-Designed Fan Clips

The fan clips allows the fan and the cooler to combine tightly. Also, the clips make assembly and dismantling more easily in process.

Non-Interference Cooling Design

The new Contac Silent 12 solves the co-existing problem of high performance RAM and CPU coolers, achieving the best RAM clearance.

Universal Socket Compatibility

All-in-one back-plate design offers universal Intel and AMD socket compatibility.

- Compatible with AMD AM4/FM2/FM1/AM3+/AM3/AM2+/AM2
- Compatible with Intel LGA 1366/1156/1155/1151/1150/775

Specifications

P/N	CL-P039-AL12BL-A
Compatibility	Intel LGA 1366/1156/1155/1151/1150/775 AMD AM4/FM2/FM1/AM3+/AM3/AM2+/AM2
Dimension	153H*127W*75.3L mm

Heatsink Material	Aluminum Fins Copper Heatpipes
Heatpipe	Φ6mm x 4 pcs
Dimension	Fan 120 x 120 x 25 mm(L xW x H)
Fan quantity	1pcs
Fan Speed	500~1500 RPM 400~1100 RPM (with LNC)
Rated Voltage	12V
Start Voltage	9.0 V
Rated Current	0.17 A
Power Input	2.04 W
Air Flow	74.33 CFM
Air Pressure	1.68 mm-H2O
Acoustical Noise	28.8 dBA 22.1 dBA(with LNC)
Life time/Fan Life time	40,000 hours
pin connect	4 pin PWM + LNC (Low-Noise Cable) 27% fan speed and 24 noise can be reduced
Cooling Power	150 W
Weight	700 g

* Specifications are subject to change without notice.
* The product picture(s) is only for your reference, it may differ from the actual product.

Additional Information

Brand	Thermaltake
SKU	CL-P039-AL12BL-A
Weight	2.0000
Material	Copper/Aluminum
Fan Dimensions	120mm
Fan RPM	1500
Fan CFM	74
Vendor SKU/EAN	841163067536