


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222









www.performance-pcs.com sales@performance-pcs.com

# Thermaltake Water 3.0 Performer C with Low noise Cable AM4 Ready

# \$69.95

### **Product Images**







#### Short Description

When choosing a high-efficiency liquid cooler to control roaring CPU temps, enthusiasts crave an easy, clean, and low-maintenance setup . The new Thermaltake All-In-One LCS Water 3.0 Series is designed to exceed user expectations. One simple upgrade allows users to enjoy better cooling performance and greater CPU protection. In addition, low noise cable is optimized for lower speed and silent operation

#### Description

When choosing a high-efficiency liquid cooler to control roaring CPU temps, enthusiasts crave an easy, clean, and low-maintenance setup . The new Thermaltake All-In-One LCS Water 3.0 Series is designed to exceed user expectations. One simple upgrade allows users to enjoy better cooling performance and greater CPU protection. In addition, low noise cable is optimized for lower speed and silent operation

#### Features

High Performance Waterblock

Full copper base plate maximizes heat conductivity while improving the case's airflow.

High Efficiency Radiator

Specially designed 120mm large surface radiator, supported by a 120mm fan for additional heat dissipation.

#### Powerful Cooling Fan

An automatically adjustable 120mm PWM Fan maximizes the cooling performance and tranquility with speed up to 2000RPM, minimizing any overheating possibility.The LNC (Low-Noise Cable) can reduce the noise level by 47% from 39.9dBA to 21dBA.

\*LNC (Low Noise Cable)

High Reliability Pump

The high quality, reliable pump enables maximum water circulation and keeps the copper plate continuously cool.

Universal Socket Compatibility

Water 3.0 Performer C supports most Intel and AMD sockets, including mountings for Intel Socket LGA 2011/1366/1156/1155/1150. It's universally compatible with a wide range of AMD platforms.

#### Specifications

Compatibility	Intel LGA 2066/2011-3/2011/1366/1156/1155/1151/1150 AMD AM4/FM2/FM1/AM3+/AM3/AM2+/AM2
Water Block	Material : Copper
Pump	Motor Speed : 2900 ±150 R.P.M Rated Voltage : 12 V Rated Current : 175 mA
Fan	Dimension : 120 x 120 x 25 mm Speed : 1200~2000 RPM Noise Level : 27.36 dB-A(MAX) Rated Voltage : 12 V Rated Current : 0.5 A Max. Air Flow : 81.32 CFM Connector : 4 pin
Radiator	Dimension : 151 x 120 x 27 mm Material : Aluminum
Tube	Length : 300mm Material : Rubber
Weight	750 g

\* Specifications are subject to change without notice.

\* The product picture(s) is only for your reference, it may differ from the actual product.

## Additional Information

Brand	Thermaltake
SKU	CLW0222-B
Weight	3.5000
Color	Black
Block CPU Type	Intel/AMD
Vga	AMD Radeon RX 6800XT Nitro+
Pump Type	Other
Radiator Size	120 (1 x 120mm)
Radiator Thickness	27mm

