

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com














\$13.99

Product Images







Short Description

The Bitspower Adjustable Aqua Link Pipe I is an adjustable SLI connector with G1/4 threads. This makes connecting VGA water blocks a breeze. The Aqua Link Pipe I is designed to connect block with a range of 16mm - 22mm.

Description

The Bitspower Adjustable Aqua Link Pipe I is an adjustable SLI connector with G1/4 threads. This makes connecting VGA water blocks a breeze. The Aqua Link Pipe I is designed to connect block with a range of

Features

- True Hi-Flow Design.
- Hi Quality Brass Material.
- High Durability Nickel Finished In True Brass Color.
- Hidden O-Ring Design.
- For Cross-Fire/SLI or Direct-Connection Application.
- Adjustable Aqua Link Pipe Length Range 16-22MM.
- RoHS Compliant.

Specifications

• Thread: G1/4" On Both Side

• Thread Length: 5MM

• Adjustable Length Range: 16-22MM

Additional Information

Brand	Bitspower
SKU	BP-TBDG14AALPM
Weight	0.2000
Special Order	No
Fitting Type	Connector
Fitting Finish	Brass
Vendor SKU/EAN	4719552218486

2 4/10/24

