

Performance-PCs.com

1701 R. J. Conlan Blvd. NE. Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com














\$14.95

### **Product Images**







## **Short Description**

This fitting is for the system builders who do not want to use hose clamps or zip ties. This will secure tubing on the fitting and look good!

## Description

This fitting is for the system builders who do not want to use hose clamps or zip ties. This will secure tubing on the fitting and look good!

#### **Features**

- 1. True Hi-Flow Design.
- 2. Hi-Quality Brass Material.
- 3. With 360-Degree Rotation.
- 4. Bitspower High Durability E-Plated Technology in White Color.
- 5. Hiding O-Ring Design.
- 6. World First Rotary Compression Fitting Designed for ID 3/8" OD 5/8" Wall 1/8".
- 7. RoHS Compliant.

## **Specifications**

Thread: G1/4"

Thread Length: 5MM

Tubing Size: ID 3/8"(9.525mm) OD 5/8" (15.875mm)

\*\*\*All Specification Will Be Changed Without Further Notice\*\*\*

# Additional Information

Brand	Bitspower
SKU	BP-DWRCPF-CC3U
Weight	0.1000
Special Order	No
Fitting Type	Compression
Fitting Size	3/8" x 5/8"
Fitting Angle	Straight
Fitting Finish	White
Vendor SKU/EAN	4712914771070



3