



# Performance-PCs Über Zwei 755 Fully Modded (D5) 12 VDC Water Pump - Matte Black

\$139.95

## Product Images





## Short Description

---

Built on the soon-to-be-legendary Alphacool Eispumpe VPP755 pump, this new Uber pump is beautiful in its design. From the hybrid PWM/Vario (a quasi-PWM that adjusts to the closest of the 5 percentage levels), is 12% stronger, has higher head pressure and most importantly it's quieter in comparison to the D5 pump.

## Description

---

*Achtung!* Introducing the new Über Zwei pump!

Built on the soon-to-be-legendary Alphacool Eispumpe VPP755 pump, this new Uber pump is beautiful in its design. From the hybrid PWM/Vario (a quasi-PWM that adjusts to the closest of the 5 percentage levels), is 12% stronger, has higher head pressure and most importantly it's quieter in comparison to the D5 pump. Coupled with Alphacool's Eisdecke V3 D5 top with optional customized pump-mounts only found here at PPCs, it's a winning combination as you will have the option of running one or two loops off a single pump and separate reservoir (or even a reservoir-less T-line setup).

Get crackin' on that new loop today, and pump it with an Über Zwei, okay?

Note: For Different plate designs or to change color behind plate you make contact us at [Modproshop@performance-pcs.com](mailto:Modproshop@performance-pcs.com) for quotes.

## Specifications

---

Approved fluids:	Water, Water/ glycol mixture
Color:	Aluminium grau eloxiert
Dimensions:	60 x 60 x 53,5 mm
Manufacturer:	Alphacool
Material:	Aluminium, Ceramic, Plastic
Max. Discharge head:	4m, Good (2 to 4m)
Max. Flow:	350l/h, Standard (smaller than 500l/h)
Max. System temperature:	65° C
Possible control range:	8-13V DC
Power connector:	4Pin Molex
Power input:	14W
Voltage:	12V DC
Water inlet:	Not available
Water outlet:	Not available

- Dimensions (DxH): 60 x 53,5mm
- Cable length: 50cm
- Standard voltage: 12V DC
- Power consumption: 14W
- Accepted voltage: 8-13v DC
- Pressure at 12V: 4m head
- Maximum flow: 350l/h
- Pump fluid: water, water/glycol mixture
- Maximum system temperature: 65°C
- Power connection: 4-pin Molex
- Speed sensor signal: 3-pin
- PWM signal: 4-pin
- Special features: adjustable to five levels
  - Level 1: 1800 RPM
  - Level 2: 2500 RPM
  - Level 3: 3200 RPM
  - Level 4: 3900 RPM
  - Level 5: 4500 RPM

## Additional Information

---

Brand	PPCS
SKU	UBER755-MB
Weight	2.0000
Color	Black
Pump Type	Laing D5
Pump Voltage	12-24VDC

