

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com











## Be Quiet SILENT WINGS 3 - 140mm PWM HIGH-

**SPEED** 

\$20.95


## **Product Images**













#### **Short Description**

be quiet! SilentWings® fans stand for state-of-the-art technology, virtually inaudible operation and superior cooling. The third generation of this award-winning fan series offers unrivaled and uncompromising performance with a broad range of meticulous optimizations. They feature a smooth-running 6-pole motor, an advanced fluid-dynamic bearing, a unique airflow-optimized fan blade design and a fan frame with funnel-shaped air inlets.

#### Description

# No Compromise Silence and Performance

be quiet! SilentWings® fans stand for state-of-the-art technology, virtually inaudible operation and superior cooling. The third generation of this award-winning fan series offers unrivaled and uncompromising performance with a broad range of meticulous optimizations. They feature a smooth-running 6-pole motor, an advanced fluid-dynamic bearing, a unique airflow-optimized fan blade design and a fan frame with funnel-shaped air inlets.

The SilentWings® 3 140mm PWM high-speed model combines all of the above best-in-class features. The extremely high air pressure produced makes the fan especially suitable for use in powerful water cooling and air cooling set ups.

#### **Features**

#### Virtually Inaudible, High-End Operation

- Great performance-to-noise ratio with 28.1dB(A) at 1,600rpm
- 6-pole fan motor with three phases giving very low power consumption and less vibration
- Advanced fluid-dynamic bearing (FDB) enables a super long fan life of up to 300,000 hours
- Seven fan blades with optimized surface structures ensure excellent airflow
- The rubberized fan frame is equipped with funnel-shaped air inlets producing extremely high air pressure
- Removable anti-vibration mountings minimize the transmission of vibrations to the PC case and its components
- Advanced high quality IC motor controller reduces electrical noise

#### Advanced PWM function

- Pulse width modulation (PWM) allows compatible 4-pin controllers (including those built into many motherboards) to intelligently vary the speed of the fan
- With PWM your system can ramp up the cooling when it's needed, or operate in maximum quiet mode when it's not

#### Product Conception, Design and Quality Control in Germany

- Especially recommended for use in powerful water cooling and air cooling set ups
- 3-year manufacturer's warranty
- Quick support is available via our international hotline, Mondays to Fridays from 9:00am to 5:30pm
   CET:
  - +49 (0) 40-736 76 86 98

#### **Specifications**

## **General Specs**

```
Dimensions (mm)
```

140

+SilentWings

/

Fan speed @ 12V (rpm)

1,600

Air flow @ 12V (cfm, m3/h)

77.57 / 131.79

Air pressure @ 12V (mm H2O)

2.16

Noise level @ 12V (dB(A))

28.1

## Mechanical spec

Dimensions (mm)

140 x 140 x 25

Bearing technology

FDB

Motor technology
6-pole fan motor

Weight incl. fixed cables (kg)
0.167

Push pin fixing

✓

Screw fixing

#### Cables & Connectors

Connector 4-pin PWM Cable length (mm) 500 Cable sleeve

#### Performance & Noise

Air flow @ 12V (cfm, m3/h) 77.57 / 131.79 Air pressure @ 12V (mm H2O) 2.16 Noise level @ 12V (dB(A)) 28.1 Lifespan (h / 25°C) 300.000

## Electrical specs

Rated voltage DC (V)
12
Operating voltage DC (V)
5 ~ 13.2
Current consumption (A)
0.14
Safety current (A)
0.5
Input power (W)
1.68

#### Accessories

3pin to 4pin 12V-connector -12V to 7V adapter

```
12V to 5V adapter
-
Screws
5
Push pins
5
Silica gel washer
5
Others
```

rubber & hard plastic mountings

## Safety certification

Approvals CE, RoHS, WEEE, RU, Tüv

## Service

Warranty (Years)
3
International hotline / free of charge
✓ / DE, FR

## Additional Information

Brand	Be Quiet
SKU	BL071
Weight	1.0000
Color	Black
Fan Dimensions	140mm
Fan Width	25mm
Fan Connection	3-Pin
Fan Voltage	12 VDC
Fan RPM	1600
Fan CFM	78
Fan Noise (dB)	28
Vendor SKU/EAN	4260052184769



6 4/25/24