

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter










\$19.99

Watch Our YouTube

## **Product Images**



### **Short Description**

Thermaltake introduces the V-Tubler PETG solid tubing for custom PC water cooling configurations. Manufactured from premium PETG, the V-Tubler rigid tubing allows users to route the tubes runs exactly to their heart's content. Designed with 5/8" (16mm) OD PETG tube adapter fittings, give users better mounting, easier fitting, and ideal flow. Make your system a showcase for all to see with the Thermaltake V-Tubler water tubing.

### Description

Thermaltake introduces the V-Tubler PETG solid tubing for custom PC water cooling configurations. Manufactured from premium PETG, the V-Tubler rigid tubing allows users to route the tubes runs exactly to their heart's content. Designed with 5/8" (16mm) OD PETG tube adapter fittings, give users better mounting, easier fitting, and ideal flow. Make your system a showcase for all to see with the Thermaltake V-Tubler water tubing.

### **Features**

"Tt LCS Certified" is the hallmark that ensures first-class performance from the best features and fitment. A certification exclusive to Thermaltake, it sets the benchmark for all true LCS chassis and is applied only to products that meet our stringent design standards for delivering what hardcore enthusiasts demand. The Tt LCS certification is a way for Thermaltake to designate to all power users the chassis which have been tested for best compatibility with extreme liquid cooling configurations.



#### 100% PETG Material



Made in Taiwan, the V-Tubler PETG Tube is constructed from superior PETG material which is reliable, non-toxic, and substance free. Thicker walls ensure safe operation, enabling the users to make the straightest run as well as tightest bends without the need of excessive compression fittings and 90 degree angle rotaries. Working temperature ranges from -4°F (-20°C) to 143.6°F (62°C).

- Outer Diameter: 5/8" (16mm) - Inner Diameter: 3/8" (12mm)

- Length: 500mm\*4

### Remarkable Expansion

Designed for use with 5/8" (16mm) OD PETG tube adapter fittings, V-Tubler PETG Tube is pre cut into retail coils of four 500mm lengths, allowing enthusiasts to build up aesthetically-superior water cooling systems by allocating the radiators to each particular component and incorporating externally-modular upgrades for their chassis.



## **Specifications**

Material	PETG
Inside Diameter	12 mm

Outside Diameter	16 mm (5/8")
Length	500 mm *4
Color	Transparent

# Additional Information

Brand	Thermaltake
SKU	CL-W065-PL16TR-A
Weight	2.0000
Color	Clear
Tube Type	PETG
Tube Size	12mm x 16mm
Material	PET
Delivery	Retail Box

