

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter





Watch Our YouTube






0.375 (3/8") PET Cable Sleeving

\$0.89 As low as \$0.49


Product Images











Short Description

PET is commonly referred to as "multi-purpose". PET is used for an infinite variety of applications. Due to its expandable nature, FLEXO PET unique braided construction enables quick and easy installation over large connectors.

Specifications

- PolyEthylene Terephthalate (PET)
- Good chemical resistance
- Monofilament size: .010"
- UV light resistant polyester yarn
- Easy to install, light weight, and flexible
- High tensile strength
- Cut and abrasion resistant
- Professional look on finished project
- Retains properties in extreme high and low temperature environments
- Will not degrade in a variety of fluids and solvents
- Moisture resistant, prevents rot and fungus (MIL-E-5272)
- Conforms to FMVSS 302-Automotive Test
- Allows moisture to dissipate from assembly

Available in black, white, red, orange, green, blue, purple, yellow, green, carbon, neon blue, neon red, neon yellow, neon green, and UV blue.

UV Blue, Neon Yellow, Neon Red, and Neon Green are UV Sensitive!







Additional Information

Brand	Techflex
SKU	PET38
Weight	0.0200
Color	Various
Sleeve Size	3/8"
Material	Polyurethane

