



Thermaltake Pacific C-PRO G1/4 PETG Tube 16mm OD Compression – Blue (6-Pack Fittings)

\$59.99

Product Images





Short Description

The Pacific C-Pro Series is a revolution in fitment design. It simplifies the process of setting up a liquid-cooling loop and provides a seal that outperforms traditional compression fittings. By using 4 preinstalled O-rings and an overhauled design, the C-Pro Series is the new standard in fitment technology and it is exclusive to Thermaltake.

Description

The Pacific C-Pro Series is a revolution in fitment design. It simplifies the process of setting up a liquid-cooling loop and provides a seal that outperforms traditional compression fittings. By using 4 preinstalled O-rings and an overhauled design, the C-Pro Series is the new standard in fitment technology and it is exclusive to Thermaltake.

Features

TT Premium

To continue achieving the corporate mission of delivering the perfect user experience, Thermaltake developed "TT Premium" with the essence of combining supreme quality products with a new logo design. TT Premium is far more than just a guarantee of quality. Behind the name, it represents the passion in DIY, Modding and Thermaltake's desire to be the most innovative brand in the PC hardware market. To satisfy the demand of the high-end PC users, TT Premium follows its core values of Excellent Quality, Unique Design, Diverse Combinations and Boundless Creativity to provide a high performance PC product for every enthusiast.

Tt LCS Certified

Tt LCS Certified is a Thermaltake exclusive certification applied to only products that pass the design and hardcore enthusiasts' standards that a true LCS chassis should be held to. The Tt LCS certification was created so that we at Thermaltake can designate to all power users which chassis have been tested to be best compatible with extreme liquid cooling configurations to ensure you get the best performance from the best features and fitment.

High-Flow and Leak-Free Structure

The C-Pro Series compression fittings are custom made for simplify the installation of PETG tubing. They are designed to work in tight spaces without compromising the compression seal or impacting the flow of coolant. The C-Pro range also features four rubber O-rings instead of the traditional two, this creates a more secure seal and more reliable performance.

Exclusively Designed Open-End Wrench

The included wrench with double-ended design is specially crafted for Thermaltake Pacific Series fittings. The smaller end is used to grip the C-Pro Series compression fittings, providing an easier and faster way to turn the fitting.

Easy Installation, Game-Changing Design

By rethinking the traditional compression fitting design, this new concept makes it easier than ever to install custom liquid-cooling loops.

Remarkable Expansion

Thermaltake offers a full line of Pacific Series components for enthusiasts to build up aesthetically-superior water cooling systems by incorporating externally-modular upgrades for their chassis.

Thermaltake Pacific C-Pro PETG Fittings Installation Guide

Step 1. Slide the compression nut over the tube

Step 2. Install the o-ring

Step 3. Install the packing

Step 4. Install the fitting base on your components

Step 5. Tighten the compression nut

Specifications

P/N	CL-W210-CU00RE-B
Model	Pacific C-Pro G1/4 PETG 16mm OD Compression 6 Pack - Blue

Dimension	D26 x 21 (H) (mm)
Applicable	OD : 16 mm
Weight	320 g
Material	CU + AL
Screw Thread	G 1/4
Note	PETG Tube to G1/4

* Specifications are subject to change without notice.

* The product picture(s) is only for your reference, it may differ from the actual product.

Caution

Thermaltake recommends the following steps to be taken before using the Pacific series radiators and water blocks

1. To ensure a clean loop, flush and rinse your radiators and water blocks with distilled water prior to use.
2. Do not use tap water or distilled water as your coolant, it may harm your loop and reduce performance.
3. It is strongly recommended to use market proven pre-mix coolant, such as Thermaltake Coolant 1000. It offers great performance while protecting the entire liquid loop from corrosion.
4. Before storing your water cooling components, please clean, rinse and dry. This will ensure a longer lifespan for your components.

Thermaltake recommends the following steps to be taken after completing your water loop setup

1. It is strongly recommended to use market proven pre-mix coolant, such as Thermaltake Coolant 1000. It offers great performance while preventing the entire cooling system – copper, brass, nickel, aluminum, and steel – from corrosion.
2. Fill the reservoir with coolant and cycle the power on and off several times while the pump pushing the coolant into the loop.
3. DO NOT let the pump run dry, when there is no liquid entering the pump turn off your power immediately
4. Fill the reservoir to the top as it will prevent air from going into the pump
5. If necessary tilt the system slightly from side to side to bleed the air out of the loop.
6. Place some paper towels under fittings and joining points to test for leaks.
7. Run the loop with the fill port open for about 24 hours to completely bleed the air out of the loop
8. Before starting, flush out your system correctly to prevent any coolant or unwanted particles sticking to your tubes, radiators and other cooling components.
9. Coolant might fade over time.

Additional Information

Brand	Thermaltake
SKU	CL-W210-CU00BU-B
Weight	1.0000
Special Order	No
Fitting Type	Rigid Compression
Fitting Size	16mm
Fitting Angle	Straight
Fitting Finish	Blue

