



Aquacomputer Calitemp digital temperature sensor internal/external thread G1/4 for aquaero 5/6

\$20.50

Product Images



Short Description

Digital temperature sensor with outstanding accuracy over a wide temperature range. The sensor is equipped with one G1/4 inner thread and one G1/4 outer thread with o-ring seal and can be installed directly between water block/radiator and hose fitting.

Description

Digital temperature sensor with outstanding accuracy over a wide temperature range. The sensor is equipped with one G1/4 inner thread and one G1/4 outer thread with o-ring seal and can be installed directly between water block/radiator and hose fitting.

An aquaero 5 or aquaero 6 device with firmware version 2100 or newer is required to use this sensor, the sensor has to be connected to the aquabus connector of the aquaero. The aquaero supports a single Calitemp sensor without further hardware, alternatively a maximum of four Calitemp sensors can be connected to a single aquaero using an "aquabus X4" (product code 53258, not included in delivery).

Specifications

Rated absolute accuracy of the digital sensor chip used for Calitemp:

-40 °C to -20 °C: +/- 1 °C

-20 °C to -5 °C: +/- 0.5 °C

-5 °C to 50 °C: +/- 0.2 °C

50 °C to 100 °C: +/- 0.5 °C

100 °C to 125 °C: +/- 1 °C

Sensor resolution: 0.01 °C

Technical details:

Threads: G1/4

Body material: Nickel plated brass

Cover material: Silicone

Height when installed: 16 mm

Scope of delivery:

Calitemp sensor

aquabus cable

Compatible with:

aquaero 5 XT/PRO/LT, firmware version 2100 or newer, aquasuite 2018-1 or newer

aquaero 6 XT/PRO/LT, firmware version 2100 or newer, aquasuite 2018-1 or newer

Starting with version 2017, all versions of the aquasuite require a valid license/activation. A valid license/activation for aquasuite version 2018 or newer is required for this sensor or can be bought separately with additional cost.

Additional Information

Brand	Aquacomputer
SKU	AQ-53257
Weight	0.0500
Color	Black
Cable Type	Temperature Sensor
Vendor SKU/EAN	4260473311904

