



Lite On 52x32x52x16x CDRW & DVD Combo Drive Retail - Silver

\$54.95

Product Images



Short Description

Product Details:

Everything you need to quickly burn CDs and enjoy DVD movies on your computer in one drive! This drive will burn a full CD in under four minutes, leaving you plenty of time to enjoy a DVD! With a great software package and attractive and quick burn and read speeds, this is a product you want!

Features:

- ATAPI / E-IDE Half-Height 52x Write, 32x Rewrite, 52x Read, and 16x DVD-ROM Read Speed
- SMART-BURN avoiding Buffer Underrun Error, Automatically adjusting writing strategy & running OPC to provide the best burning quality
- SMART-X Smart Monitoring & Adjusting Read-speed Technology for eXtraction
- VAS® to reduce vibration & noise during recording & reading
- Support Fixed Packet, Variable Packet, TAO, SAO, DAO, Raw Mode Burning & Over-Burn
- Support formats of CD Family, CD-R & CD-RW discs (up to 99min.)
- Support formats of DVD Family, single / dual layer (PTP, OPT), DVD+R / RW, DVD-R / RW
- Conforms to Orange Book Part 2, 3, Volume 2 : High Speed & MMC2 commands
- Support PIO mode 4, DMA mode 2 and Ultra DMA mode 2
- Support Mt. Rainier



Speed :	Write	CD-R	52x (7800KB/sec) maximum by CAV
	ReWrite	CD-RW	32x (4800KB/sec) maximum by Z-CLV in Ultra Plus Speed disc
	Read	CD Family	52x (7800KB/sec) maximum by CAV
		DVD Family	16x (21600KB/sec) maximum by CAV



Access Time :	CD Family	120 ms
	DVD Family	140 ms



Buffer Size : 2 MB



PC Required : Pentium 166 MHz or faster CPU and 64 MB or higher RAM are required
HDD must have access time < 20 ms with a minimum of 100 MB free space



Disc Formats : Support formats of CD family both 8 cm & 12 cm discs



Compatibility : Windows 95 / 98 / NT4.0 / ME / 2000 / XP



MTBF (Life) : 70,000 Hours



S/N Ration : > 75 dB



Environment :	Operating	5 C to 45 C; Relative Humidity: 15% to 80%
	Non-Operating	-30 C to 60 C; Relative Humidity: 15% to 95%



Dimension : 145.0 (W) x 41.3 (H) x 170.0 (D) mm



Weight : < 0.9 Kg



Voltage Requirements : +5 V +/-5% and less than 100 mVp-p ripple voltage
+12 V +/-5% and less than 200 mVp-p ripple voltage

Drive has a vinyl dyed silver metallic front bezel.

Retail Box includes Nero Express CD and Power DVD CD!

Description

Everything you need to quickly burn CDs and enjoy DVD movies on your computer in one drive! This drive will burn a full CD in under four minutes, leaving you plenty of time to enjoy a DVD! With a great software package and attractive and quick burn and read speeds, this is a product you want!

Features

Features:

- ATAPI / E-IDE Half-Height 52x Write, 32x Rewrite, 52x Read, and 16x DVD-ROM Read Speed
- SMART-BURN avoiding Buffer Underrun Error, Automatically adjusting writing strategy & running OPC to provide the best burning quality
- SMART-X Smart Monitoring & Adjusting Read-speed Technology for eXtraction
- VAS® to reduce vibration & noise during recording & reading
- Support Fixed Packet, Variable Packet, TAO, SAO, DAO, Raw Mode Burning & Over-Burn
- Support formats of CD Family, CD-R & CD-RW discs (up to 99min.)
- Support formats fo DVD Family, single / dual layer (PTP, OPT), DVD+R / RW, DVD-R / RW
- Conforms to Orange Book Part 2, 3, Volume 2 : High Speed & MMC2 commands
- Support PIO mode 4, DMA mode 2 and Ultra DMA mode 2
- Support Mt. Rainier

Specifications

Speed :
Write CD-R 52x (7800KB/sec) maximum by CAV
ReWrite CD-RW 32x (4800KB/sec) maximum by Z-CLV in Ultra Plus Speed disc
Read CD Family 52x (7800KB/sec) maximum by CAV
DVD Family 16x (21600KB/sec) maximum by CAV

Access Time :
CD Family 120 ms
DVD Family 140 ms

Buffer Size : 2 MB

PC Required :
Pentium 166 MHz or faster CPU and 64 MB or higher RAM are required
HDD must have access time < 20 ms with a minimum of 100 MB free space



Disc Formats : Support formats of CD family both 8 cm & 12 cm discs

Compatibility : Windows 95 / 98 / NT4.0 / ME / 2000 / XP

MTBF (Life) : 70,000 Hours

S/N Ration : > 75 dB

Environment :
Operating 5 C to 45 C; Relative Humidity: 15% to 80%
Non-Operating -30 C to 60 C; Relative Humidity: 15% to 95%



Dimension : 145.0 (W) x 41.3 (H) x 170.0 (D) mm



Weight : < 0.9 Kg



Voltage Requirements :
+5 V +/-5% and less than 100 mVp-p ripple voltage
+12 V +/-5% and less than 200 mVp-p ripple voltage

Drive has a vinyl dyed silver metallic front bezel.

Retail Box includes Nero Express CD and Power DVD CD!

Additional Information

SKU	DH-52C2P-S
Weight	5.0000
Color	Silver
Device Type	Disc Drive

