

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com











Blackfire4 UV LED 92mm Fan Sleeved - Blue/Green

\$5.95 was \$10.95

Product Images





Short Description

The fastest way to get infected with our UV- $active^{TM}$ fever. These Blackfire4 fans have 4 built-in UV LEDs to light themselves up with UV. Everyone has one or two LED fans - it's time for you to get different and get UV- $active^{TM}$. 4x UV LED for 4x the UV power.

4/23/24

Description

The fastest way to get infected with our UV- $active^{TM}$ fever. These Blackfire4 fans have 4 built-in UV LEDs to light themselves up with UV. Everyone has one or two LED fans - it's time for you to get different and get UV- $active^{TM}$. 4x UV LED for 4x the UV power.

The Blackfire4 are UV-*active*[™] clear fans. The vibrant clear colors look great in normal lighting. Once turned on, the 4x built-in UV LEDs provide the UV lighting for the fan to glow - an intriguing vibrant luminous effect. A great addition to side window blowholes, or top / front blowholes.

Lighting for PC is no longer just sticking in a CCFL light. Do take time to plan the various aspects of lighgting such as ambient light for general background, directional & angular lighting, highlight spots etc. AC Ryan provides a range of lighting TWIN CCFL, Tornado2 CCFL Fans, LaserLEDs, XNEON cables. Combining a CCFL light tube and a Tornado2 can give you interesting results - eg. Blue CCFL light tube at the bottom of the casing providing a bottom up ambient lighting and a Tornado2 Green at the top blowhole providing circular top-down spot light. Add Blackfire4 for that highlight effect.

Cables come pre-sleeved with color matching UV FlexSleeve™!

Features

LED light specifications:

• 4x ultrabright UV LED

• Luminous intensity : 4x 2000mcd

• Power consumption : 0.32W

Powered via fan power

Package contains:

- 92mm Clear UV-active™ fan with 4x UV LED light, 3pin fan power connector
- with 3pin to 4pin Molex connector (with Molex pass through)
- Fan mounting screws

Size & Colors:

- available in 9 UVactive colors & 3 sizes
- 80mm / 92mm / 120mm
- UVblue / UVblue-green / UVblue-orange
- UVgreen / UVgreen-blue / UVgreen-orange
- UVorange / UVorange-blue / UVorange-green

Specifications

Fan specifications:

- Clear Acrylic with UV-active™
- 80x80x25mm / 92x92x25mm / 120x120x25mm ball-bearing

• Powered via 3pin fan connector or 4pin Molex power connector (both included)

	80mm	92mm	120mm
Low power consumption:	1.3W	1.9W	2.8W
Fan speed (RPM)	2500	2500	2500
Noise level (dB)	22.18	25.24	28.95
Airflow (CFM)	32.37	43.40	77.70

Additional Information

Brand	AC Ryan
SKU	ACR-BF8881-D
Weight	0.5000
Color	Blue
Fan Dimensions	92mm
Fan Width	25mm
Fan Connection	3-Pin
Fan RPM	2500
Fan CFM	43
Fan Noise (dB)	25
LED Color	UV (Purple)
Special Price	\$5.95

