

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com











Blackfire4 UV LED 92mm Fan Sleeved - Green/Blue

\$5.95 was \$10.95

Product Images



Short Description

The fastest way to get infected with our UV- $active^{\mathbb{M}}$ fever. These Blackfire4 fans have 4 built-in UV LEDs to light themselves up with UV. Everyone has one or two LED fans - it's time for you to get different and get UV- $active^{\mathbb{M}}$. 4x UV LED for 4x the UV power.

The Blackfire4 are UV-active™ clear fans. The vibrant clear colors look great in normal lighting. Once turned on, the 4x built-in UV LEDs provide the UV lighting for the fan to glow - an intriguing vibrant luminous effect. A great addition to side window blowholes, or top / front blowholes.

Lighting for PC is no longer just sticking in a CCFL light. Do take time to plan the various aspects of lighgting such as ambient light for general background, directional & angular lighting, highlight spots etc. AC Ryan provides a range of lighting TWIN CCFL, Tornado2 CCFL Fans, LaserLEDs, XNEON cables. Combining a CCFL light tube and a Tornado2 can give you interesting results - eg. Blue CCFL light tube at the bottom of the

casing providing a bottom up ambient lighting and a Tornado2 Green at the top blowhole providing circular top-down spot light. Add Blackfire4 for that highlight effect.

Cables come pre-sleeved with color matching UV FlexSleeve™!

Description

The fastest way to get infected with our UV- $active^{TM}$ fever. These Blackfire4 fans have 4 built-in UV LEDs to light themselves up with UV. Everyone has one or two LED fans - it's time for you to get different and get UV- $active^{TM}$. 4x UV LED for 4x the UV power.

The Blackfire4 are UV-*active*[™] clear fans. The vibrant clear colors look great in normal lighting. Once turned on, the 4x built-in UV LEDs provide the UV lighting for the fan to glow - an intriguing vibrant luminous effect. A great addition to side window blowholes, or top / front blowholes.

Lighting for PC is no longer just sticking in a CCFL light. Do take time to plan the various aspects of lighgting such as ambient light for general background, directional & angular lighting, highlight spots etc. AC Ryan provides a range of lighting TWIN CCFL, Tornado2 CCFL Fans, LaserLEDs, XNEON cables. Combining a CCFL light tube and a Tornado2 can give you interesting results - eg. Blue CCFL light tube at the bottom of the casing providing a bottom up ambient lighting and a Tornado2 Green at the top blowhole providing circular top-down spot light. Add Blackfire4 for that highlight effect.

Cables come pre-sleeved with color matching UV FlexSleeve™!

Features

- LED light specifications:
- 4x ultrabright UV LED
- Luminous intensity: 4x 2000mcd
- Power consumption: 0.32W
- Powered via fan power

Package contains:

- 92mm Clear UV-active™ fan with 4x UV LED light, 3pin fan power connector
- with 3pin to 4pin Molex connector (with Molex pass through)
- Fan mounting screws

Size & Colors:

- available in 9 UVactive colors & 3 sizes
- 80mm / 92mm / 120mm
- UVblue / UVblue-green / UVblue-orange
- UVgreen / UVgreen-blue / UVgreen-orange
- UVorange / UVorange-blue / UVorange-green

Specifications

- Fan specifications:
- Clear Acrylic with UV-active™
- 80x80x25mm / 92x92x25mm / 120x120x25mm ball-bearing
- Powered via 3pin fan connector or 4pin Molex power connector (both included)

| | 80mm | 92mm | 120mm |
|------------------------|-------|-------|-------|
| Low power consumption: | 1.3W | 1.9W | 2.8W |
| Fan speed (RPM) | 2500 | 2500 | 2500 |
| Noise level (dB) | 22.18 | 25.24 | 28.95 |
| Airflow (CFM) | 32.37 | 43.40 | 77.70 |

Additional Information

| Brand | AC Ryan |
|----------------|--------------|
| SKU | ACR-BF8904-D |
| Weight | 0.4000 |
| Color | Green |
| Fan Dimensions | 92mm |
| Fan Width | 25mm |
| Fan Connection | 3-Pin |
| Fan Voltage | 12 VDC |
| Fan RPM | 2500 |
| Fan CFM | 43 |
| Fan Noise (dB) | 25 |
| LED Color | Blue |
| Special Price | \$5.95 |
| | |

4/25/24

