


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222







www.performance-pcs.com sales@performance-pcs.com

# SIIG 2-port PCIe host adapter with 1 external & 1 internal SuperSpeed USB 3.0 ports

Special Price \$20.00 was \$39.99

### **Product Images**



# Short Description

## Product Details:

SIIG's DP SuperSpeed USB 3.0 2-Port PCIe i/e is a high performance adapter card designed to instantly add two additional USB 3.0 ports (one internal and one external) to your PCIe-enabled desktop computer. Its USB 3.0 interface delivers ultra-fast USB 3.0 data transfer rates of up to 5Gb/s (10 times faster than USB 2.0), and allows you to hot-swap devices (connect and disconnect) without first turning your system off. It also offers backward compatibility for USB 2.0 and USB 1.1 devices and supports the simultaneous operation of USB 3.0, USB 2.0 and USB 1.1 devices. This dual profile USB 3.0 2-Port PCIe host adapter works with a wide variety of high-bandwidth USB 3.0 devices, including USB 3.0 hard disk drive enclosures, high-resolution webcams, video surveillance cameras, digital video cameras, and multi-channel audio devices. The dual-profile PCB design along with the included spare low profile bracket allows this USB 3.0 adapter to be installed in either standard height or low profile systems providing the utmost flexibility in system chassis installation.

The DP SuperSpeed USB 3.0 2-Port PCIe i/e conforms to USB 3.0 Specification, Revision 1.0 and PCI Express Base Specification, Revision 2.0 standards. It is also FCC Class B (DoC) & CE regulatory approved and RoHS-compliant. It is fully compatible with a wide variety of Windows operating systems and is backed by SIIG's limited lifetime warranty.

Features:

- Quickly adds two SuperSpeed USB (USB 3.0) 1 external & 1 internal ports to your PCIe-equipped desktop computer enhancing existing systems with the latest USB 3.0 technology
- Works with high-bandwidth SuperSpeed USB (USB 3.0) devices, such as external hard disks, high-resolution webcams, camcorders, video surveillance cameras, digital video cameras, multi-channel audio and more
- Internal SuperSpeed USB port is perfect for connecting to front-chassis USB hubs or devices

#### Specifications:

- Compliant with Universal Serial Bus 3.0 Specification, Revision 1.0
- Compliant with PCI Express Base Specification, Revision 2.0
- Chipset: NEC
- Ports:
  - 1x Type-A internal USB 3.0
  - 1x Type-A external USB 3.0
- Supports ultra-fast data transfer rates of up to 5 Gb/s (10 times faster than USB 2.0) and is backward compatible with USB 2.0 & USB 1.1 devices
- Dual-profile designed to work with both full-height and low-profile systems (with included brackets)
- Dimensions:
  - $^{\circ}~$  Standard height bracket installed: 4.75" x 3.75" x 0.75" (H) x (W) x (D)
  - $^{\circ}~$  Low Profile bracket installed: 3.19" x 3.75" x 0.75" (H) x (W) x (D)

Requirements

- Desktop PC with an available PCIe slot
- Windows 7 (32-/64-bit) / Vista (32-/64-bit) / XP (32-/64-bit)

## Description

#### Product Details:

SIIG's DP SuperSpeed USB 3.0 2-Port PCIe i/e is a high performance adapter card designed to instantly add two additional USB 3.0 ports (one internal and one external) to your PCIe-enabled desktop computer. Its USB 3.0 interface delivers ultra-fast USB 3.0 data transfer rates of up to 5Gb/s (10 times faster than USB 2.0), and allows you to hot-swap devices (connect and disconnect) without first turning your system off. It also offers backward compatibility for USB 2.0 and USB 1.1 devices and supports the simultaneous operation of USB 3.0, USB 2.0 and USB 1.1 devices. This dual profile USB 3.0 2-Port PCIe host adapter works with a wide variety of high-bandwidth USB 3.0 devices, including USB 3.0 hard disk drive enclosures, high-resolution webcams, video surveillance cameras, digital video cameras, and multi-channel audio devices. The dual-profile PCB design along with the included spare low profile bracket allows this USB 3.0 adapter to be installed in either standard height or low profile systems providing the utmost flexibility in system chassis installation.

The DP SuperSpeed USB 3.0 2-Port PCIe i/e conforms to USB 3.0 Specification, Revision 1.0 and PCI Express Base Specification, Revision 2.0 standards. It is also FCC Class B (DoC) & CE regulatory approved and RoHS-compliant. It is fully compatible with a wide variety of Windows operating systems and is backed by SIIG's limited lifetime warranty.

Features:

- Quickly adds two SuperSpeed USB (USB 3.0) 1 external & 1 internal ports to your PCIe-equipped desktop computer enhancing existing systems with the latest USB 3.0 technology
- Works with high-bandwidth SuperSpeed USB (USB 3.0) devices, such as external hard disks, high-resolution webcams, camcorders, video surveillance cameras, digital video cameras, multi-channel audio and more

• Internal SuperSpeed USB port is perfect for connecting to front-chassis USB hubs or devices

#### Specifications:

- Compliant with Universal Serial Bus 3.0 Specification, Revision 1.0
- Compliant with PCI Express Base Specification, Revision 2.0
- Chipset: NEC
- Ports:
  - 1x Type-A internal USB 3.0
  - 1x Type-A external USB 3.0
- Supports ultra-fast data transfer rates of up to 5 Gb/s (10 times faster than USB 2.0) and is backward compatible with USB 2.0 & USB 1.1 devices
- Dual-profile designed to work with both full-height and low-profile systems (with included brackets)
- Dimensions:
  - $^{\circ}~$  Standard height bracket installed: 4.75" x 3.75" x 0.75" (H) x (W) x (D)
  - $^{\circ}~$  Low Profile bracket installed: 3.19" x 3.75" x 0.75" (H) x (W) x (D)

#### Requirements

- Desktop PC with an available PCIe slot
- Windows 7 (32-/64-bit) / Vista (32-/64-bit) / XP (32-/64-bit)

# Additional Information

Brand	Siig
SKU	JU-P20512-S1-D
Weight	1.0000
Color	Green
Card Function	USB
Card Form Factor	PCI EXPRESS
Ports	USB
Driver Support/OS Compatibility	Windows XP, Vista, 7(32bit/64bit)
Special Price	\$20.00

