






BARROW Barrow RGB full color speed regulation and lighting with PWM speed regulation Fan - 120mm

Special Price
\$15.26 was
\$17.95

Product Images



Short Description

Barrow newly designed RGB fan, 6pin integrated cable simplifies wiring and installation, further improvement of process, longer life, greater air volume

Description

Barrow newly designed RGB fan, 6pin integrated cable simplifies wiring and installation, further improvement

of process, longer life, greater air volume

Features

All configurations are just for good performance

Polymerized type 6P integrated connector
Motor PCB integrates 6 side-emitting 5V RGB full-color lamp beads Carry with large size blade of diameter to 112mm and amount is eleven,the highest airflow is up to 68.65CFM.




Low Vibration Motor



Large-size confluence impeller



High-pressure air inlet



Dynamic Hydraulic Bearing

New type fan interface


Polymerized type 6P integrated connector

The 12V fan motor power supply is integrated with 5V RGB lighting circuit. In the fan body, the wire is short type, with 500mm connecting wire harness. It can directly connect BARROW 16-way full function light fan controller DK301-16 and realize various compatible accessory connections by connecting different match connecting wires.



Large-size confluence impeller

Large-sized fan blades with a diameter of 112 mm and total 11 pcs of blades Square ultra-thin frame shape, up to 68.65 CFM air flow, all configurations are just for good performance



Colorful lighting

Motor PCB integrates 6 side-emitting 5V RGB full-color lamp beads
Through the external controller DK-301-16 and the connection of all motherboards
RGB light control transfer interfaces , the light effect adjustment and
light synchronization can be realized.



Performance balanced PWM

The fan is internally equipped with a PWM IC chip. By transferring PWM connector of motherboard according to actual cooling condition to adjust intelligently speed, and fans can up to balance in cooling and sound.



low resistance and anti-knock

Its inside carry dynamic hydraulic bearing,it can debase effectively using sound, improve using stability and life. Double-sided Thickening Large Size anti-vibrate cushion can ensure the stability of fans in1900RPM speed.



Specifications

Product parameters

Sizes:120*120*25mm	Sound:21.8db(a)-32.2db(a)
Speed:900-1900RPM ±100	Life:40000H
Rated voltage:12V(10.8V-13.2V)	connector:6PIN (PWM)
Rated current:0.25A	long:5cm
Starting voltage:DC-6V	tie-lines:50cm
function:PWM adjust speed	lighting:LRC2.0 lighting control system
bearing:hydraulic bearing	whether need controller:yes
airflow:33.92CFM-68.65CFM	



Additional Information

Brand	Barrow
SKU	BF04-PR
Weight	0.6000
Color	Black
Fan Dimensions	120mm
Fan Width	25mm
Fan Connection	6-Pin
Fan Voltage	12 VDC
Fan RPM	1900
Fan CFM	69
Fan Noise (dB)	32
Vendor SKU/EAN	BA2581
Special Price	\$15.26

