


Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222





\$84.95



www.performance-pcs.com sales@performance-pcs.com

Alphacool NexXxoS UT60 Full Copper X-Flow 40mm Quad Radiator

Product Images





Short Description

It's the best system because it's your system, strive for perfection! The new Alphacool NexXxoS UT60 X-Flow Server Radiators help you to get one step closer!

Increase the performance of your system with the new Alphacool NexXxoS UT60 X-Flow Server Radiators.

Description

It's the best system because it's your system, strive for perfection! The new Alphacool NexXxoS UT60 X-Flow Server Radiators help you to get one step closer!

Increase the performance of your system with the new Alphacool NexXxoS UT60 X-Flow Server Radiators.

Features

X-Flow – Find the easy route

For the best possible cooling of your system, Alphacool relies on the X-Flow for the new NexXxoS server radiators. The flow runs from one side of the radiator to the other and directly uses all fins. Your Alphacool NexXxoS UT60 X-Flow immediately achieves the best possible cooling with optimized water circulation.

Countersunk screw plugs - anything but ordinary

For the first time Alphacool has countersunk the screw plugs. This unique design allows you to stay flexible with the positioning of your Alphacool NexXxoS UT60 X-Flow Radiator. Mount your radiator the way you need it. Thanks to the multiple inlets and outlets, you have more options to create something unique and more importantly efficient.

Solid copper - the best performance at the highest level The radiator of the new Alphacool NexXxoS series is also made of solid copper ensuring the radiators offer you the highest thermal conductivity for the best performance. Rely on the No. 1 in materials.

Different sizes - same quality

The new Alphacool NexXxoS UT60 X-Flow is available in different sizes and thicknesses. All radiators of this series are compatible with 2U server racks. Thanks to the special shape, installation is child's play, even with the larger radiators. Decide for yourself which size is perfect for your system and always choose the best quality.

Specifications

Technical Details

- Dimensions (LxWxH): 205 x 40,5 x 60mm
- Net weight: 492g
- Maximum working temperature: 180°C
- Material (fins/channels/pre-chamber): Copper
- Material external housing: Steel
- Threads: 6x G1/4"
- Mounting option radiator: 8x M3 threads
- Fan size: 40mm
- Fan slots: 4 single-sided / 8 double-sided
- Fan threads: M3
- Pressure-tested: 1,5 bar
- Certificates: CE, FC, ROHS

Scope of Delivery

- 1x Alphacool NexXxoS UT60 Full Copper X-Flow 40mm Quad Radiator
- Mounting material

Additional Information

Brand	Alphacool
SKU	AC-14290
Weight	1.1000
Color	Black
Radiator Thickness	60mm
Vendor SKU/EAN	4250197142908

