

Performance-PCs.com

1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA

Toll Free: 888-381-8222

www.performance-pcs.com sales@performance-pcs.com



Follow Us Twitter







Aquacomputer cuplex kryos NEXT VARIO 2011/2011-3, nickel/nickel

\$130.50

Product Images





Short Description

The cuplex kryos NEXT marks a new milestone in CPU water block development. Every detail has been analyzed, optimized and tested to achieve perfection in cooling performance, installation procedure and product features. The result is not just a CPU water block with outstanding performance - it is a product series with various models differing in color and functionality. The VARIO models are the first CPU water blocks globally to incorporate a real-time adjustable base - never before has it been possible to adjust the geometry of a CPU block to perfectly fit the CPU while the PC is in operation. Models with VISION module are equipped with modern electronics: High resolution OLED display, integrated water temperature sensor and USB interface are just three of the features.

Description

The cuplex kryos NEXT marks a new milestone in CPU water block development. Every detail has been analyzed, optimized and tested to achieve perfection in cooling performance, installation procedure and product features. The result is not just a CPU water block with outstanding performance - it is a product series with various models differing in color and functionality. The VARIO models are the first CPU water blocks globally to incorporate a real-time adjustable base - never before has it been possible to adjust the geometry of a CPU block to perfectly fit the CPU while the PC is in operation. Models with VISION module are equipped with modern electronics: High resolution OLED display, integrated water temperature sensor and USB interface are just three of the features.

Features

Base part with micro structure

The base part of the cuplex kryos NEXT is equipped with an extremely fine micro structure, the structural width is lower than 200 μ m. The coolant is injected centrally through a slot-shaped nozzle and then runs to both sides of the structure. The base itself is manufactured from copper, nickel plated copper or .925 sterling silver depending on model.

Retention system

The cuplex kryos NEXT retention system consists of 2.5 mm thick stainless steel plates equipped with nickel plated spring cups. Springs and knurled screws secure the water block on the motherboard, the retention system has a very clean look when installed. All retention system versions feature a mechanical stop for optimum clamping force and even force distribution. The knurled screws can be installed by hand, additionally a hexagon socket wrench can be used for easy installation.

Water blocks for socket 115x or AM3 include a steel back plate with silicone insulation to stabilize the CPU region of the motherboard. Socket 2011/2066 motherboards already include a back plate as part of the CPU socket, therefore no additional back plate is required.

For optimum performance, every cuplex kryos NEXT ships with outstanding thermal compound. A syringe with 0.5 grams of Thermal Grizzly Kryonaut is included, complete with plastic spatula. This compound has a high thermal conductivity and spreads out thin and evenly between CPU and water block due to its low viscosity. The amount is sufficient for approximately five applications.

VARIO: Adjustable geometry

The geometry of the base part of cuplex kryos NEXT VARIO variants can be adjusted using four adjusting screws on the sides of the water block. Each CPU is unique - even slightest variations in height or shape of the metallic lids on top of current CPUs affect cooling performance of a water block considerably. Prior concepts to adjust the geometry of water blocks always required the water block to be disassembled and then reinstalled onto the motherboard, requiring significant time and effort. With the cuplex kryos NEXT VARIO, the geometry is perfectly adjusted in just a few moments. While monitoring core temperatures at maximum CPU load, simply change the geometry using the four adjusting screws. Temperature changes provide an immediate feedback, the perfect setting is quickly identified.

Color variants

The top part of the water block is available in various materials and coatings:

Acetal black: Shiny black high-tech plastic

Acrylic glass: Transparent body suitable for illumination

Copper: Reddish gloss

Nickel plated brass: Bright metallic gloss

PVD plated brass: High quality multi layer coating, dark metallic gloss

Specifications

| Manufacturer: | Aquacomputer |
|-------------------------|----------------------------|
| Cooling plate material: | Copper plated |
| Socket: | Intel 2011(-3), Intel 2066 |
| Cooling performance: | Excellent |
| Connector: | 2xG1/4 |
| Top cover material: | Brass |
| Dimensions (L x B x H): | 98 x 98 x 22 mm |

Material combination

• Nickel/nickel: Top part nickel plated brass, base nickel plated copper

Technical details

- Dimensions:
- Socket 2011/2066: 98 x 98 x 22 mm (not including screws)
- Connection threads: G1/4
- Distance between threads: 28 mm

Scope of delivery

- Water block
- Mounting material (screws, springs, etc.)
- Thermal compound Thermal Grizzly Kryonaut, approx. 0.5 grams in syringe
- Plastic spatula
- Instruction manual

Additional Information

| Brand | Aquacomputer |
|----------------|------------------------|
| SKU | AQ-21667 |
| Weight | 1.5000 |
| Color | Silver |
| CPU Series | Intel 2011/2011-3/2066 |
| Block CPU Type | Intel |
| Block Style | Nickel-Brass |
| Vendor SKU/EAN | 4260473310556 |

