



Nexus 92mm PWM Silent Case Fan - Sleeved

Special Price
\$6.98 was
\$13.95

Product Images



Short Description

After leading the market for many years with our BASIC series silent fans we thought it was time to release our PWM creations in the market. All our expertise and experience is put in these PWM fan models. We have strived to set them up with the best possible characteristics. Great performance and extreme low dB(A) ratings is guaranteed.

Description

After leading the market for many years with our BASIC series silent fans we thought it was time to release our PWM creations in the market. All our expertise and experience is put in these PWM fan models. We have strived to set them up with the best possible characteristics. Great performance and extreme low dB(A) ratings is guaranteed.

We achieved an amazing 15.8 dB(A) noise level at 700 RPM. (measured in a chamber with a background noise of 15 dB(A)).
Take control of your fans...and hear yourself think again.

Pulse Width Modulation

The use of a 4 wire PWM controlled fans is a means to reduce the overall system acoustics. The expectation is a 4 wire PWM controlled fan when properly implemented will be significantly quieter than a similar 3 wire fan.
Fan cable is fully covered in nylon Techflex sleeving and premium heatshrink, colors of your choice.

Specifications

Model Number:	DF1209SL-3PWM
Dimensions:	92x92x25mm
Versions:	Clear chassis and foggy rotor/blades
Fan Mounts:	4 pieces purple ultra-soft silicone fan mounts
Fan Speed:	700 ~ 2500 RPM (±10%)
Noise Level:	15.8 ~ 27.8 dB(A)*
Airflow:	Up to 43.5 CFM

Ultra soft fan
mounts

* Measured in an ISO certified chamber with 15 dB(A) background noise.

Additional Information

Brand	Nexus Technologies
SKU	DF1209SL-3PWM-D
Weight	1.0000
Color	Clear
Fan Dimensions	92mm
Fan Width	25mm
Fan Connection	4-Pin PWM
Fan Voltage	12 VDC
Fan RPM	2500
Fan CFM	44
Fan Noise (dB)	28
Special Price	\$6.98

